

HEAT PRESS **GUIDE**

Your guide to our favorite heat presses!









SMALL FORMAT SWING-AWAY HEAT PRESSES



Fusion IQ® 16" x 20"

BEST SELLER MOST VERSATILE PROGRAMMABLE

Touch screen settings Top choice for garments Industry-exclusive Threadability™ with a pull-out platen Live digital spec readouts Optional guick-change lower platens



DK20S 16" x 20"

BEST SELLER DURABLE & RELIABLE EVEN PRESSURE & HEATING

Fully digital temperature control Automatic digital timer Heavy-duty steel-welded framework 70 programmable presets Front or rear loading design Easy-to-use system



DK14S 12" x 14"

BEST SELLER COMPACT & PORTABLE EVEN PRESSURE & HEATING

Perfect for beginners Automatic digital timer Heavy-duty steel-welded framework 70 programmable presets Portable for events Easy-to-use system





DC16 14" x 16"

ENTRY LEVEL DURABLE & RELIABLE EVEN PRESSURE & HEATING

Fully digital Interchangeable heat platens Heavy-duty steel-welded framework Easy-to-use system Programmable presets





SwingMan 15 15" x 15"

PORTABLE FOR EVENTS ENTRY LEVEL EVEN PRESSURE & HEATING

Full-range temperature control removes guesswork Easy-to-use with short learning curve Extremely durable with consistent heat Press thicker items up to 1.75" thick

Hotronix



Air Fusion IQ® 16" x 20"

EVEN PRESSURE & HEATING AUTOMATIC PRESS AUTO-ADJUST PRESSURE

Adjusts pressure to thickness of substrate automatically taking out guesswork Interchangeable platens Reduces operator fatique Programmable presets for speed Requires an air compressor

Press Model	Hotronix Fusion IQ	DK20S	DK14S
Item #	XFFUSION	SUBDK20S	DK14S
Brand	Hotronix®	Geo Knight	Geo Knight
Platen Size	16" x 20"	16" x 20"	12" x 14"
Press Type	Swing-Away Draw	Swing-Away	Swing-Away
Temperature Range	32° - 430° F	32° - 600° F	32° - 600° F
Dimensions (W x D x H)	36" x 25" x 24"	18" x 40" x 16"	24" x 18" x 18"
Max Material Thickness	5/8"	2"	2"
Electrical	120V / 15A / 1800W amd 240V / 15A / 3500W	1800W / 15A / 120V	1200W / 10A / 110V
Weight	137 lb	210 lb	76 lb
Additional Information	Information Cast-in tubular heating, Powder coated finish, Interchangeable platens Automatic Timer, Digital Pressure Bar Graph, Interchangeable Table SuperCoil-Microwinding Technology		Automatic timer, SuperCoil- Microwinding heater technology, Records number of pressing cycles
Platen Warranty	Lifetime	Lifetime	Lifetime
Press Warranty	5 yr on frame / 2 yr control board	1 Year	5 yr on frame / 3 yr control board
Programmable Presets	Yes	Yes	No
For Use With	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer / Vinyl
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$2,450	\$1,776	\$668

Press Model	DC16	SwingMan 15	Air Fusion Table Top
Item #	SUBDC16	HSM15	XRF-TT
Brand	Geo Knight	Hix	Hotronix®
Platen Size	14" x 16"	15" x 15"	16" x 20"
Press Type	Swing-Away	Swing Away	Swing Away
Temperature Range	32° - 600° F	0° - 400° F	32° - 430° F
Dimensions (W x D x H)	22" × 22" × 22"	19" x 28" x 17"	32" x 40" x 57"
Max Material Thickness	2"	1.75"	3/4"
Electrical	1500W / 12A / 110V	120V / 12.5A / 1500W and 220V / 7.5A / 1560W	110V / 20A / 1800W and 220V / 10A / 3500W
Weight	130 lb	57 lb	137 lb
Additional Information	Digital Countdown Timer with Alarm, Adjustable Temperature, Solid steel frame, Silicone pad pressing surface Digital Countdown Timer with Alarm, Adjustable Temperature, Solid steel handheld digital timer. Perfect for up businesses or to take to ever		Requires an air compressor. Not included in purchase.
Platen Warranty	Lifetime	1 Year	Lifetime
Press Warranty	1 Year	3 mo on parts & labor	5 yr on framework / 2 yr on circuit board / 1 yr on parts & labor
Programmable Presets	Yes	N/A	Yes
For Use With	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer / Vinyl
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$1,464	\$695	\$4,250

SMALL FORMAT **SWING-AWAY** HEAT PRESSES



SwingMan 20 16" x 20"

HEAVY PRESSURE DURABLE & RELIABLE REDUCE USER FATIGUE

Touch screen settings

Apply over 12000 lbs of pressure

Easy-to-use with limited user force

Even heating and pressure

Great for personalizing garments



Insta 256 16" x 20"

ENTRY LEVEL STANDARD PLATEN EASY TO OPERATE

Swings almost a full 180° Evenly distributes pressure Changeable lower platen Easy-to-use digital controller


Press Model	SwingMan 20	Insta 256
Item #	HSM20S	99INSTA256
Brand	Hix	Insta
Platen Size	16" x 20"	16" x 20"
Press Type	Swing-Away	Swing-Away Manual
Temperature Range	0° - 450° F	N/A
Dimensions (W x D x H)	34" × 22" × 20"	32" x 40" x 22"
Max Material Thickness	1.75"	1.375"
Electrical	120V / 14.5A / 1750W and 220V / 10A / 2000W	120V 14.6AMP 1750W and 230V 9.6AMP 2200W
Weight	97 lb	121 lb
Additional Information	High-quality, durable framework made to last press after press.	Interchangeable platens, Stainless Steel ergonomic handle, digital con- troller, Cast-in tubular heating element, Main power switch
Platen Warranty	1 Year	Lifetime
Press Warranty	3 mo control board	1 Year
Programmable Presets	N/A	No
For Use With	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$1,995	\$2,375

Everything you need for HEAT PRESSES all in one place!

Visit JPPlus.com for product information, technical help or to easily place your order for toner, supplies, papers and so much more!

- THOUSANDS of products
- FREE shipping on orders \$149+
- Educational webinars & videos
- FAST shipping
- Product tips & templates
- FREE art and design files

- FREE tech support
- Over 50 years of experience
- Virtual Trade Show Experience
- Giveaways & discounts
- Fun & educational blogs
- Create an account for fast ordering





SMALL FORMAT **CLAMSHELL** HEAT PRESSES



Auto Open 16" x 20"

COMPACT DESIGN DURABLE & RELIABLE QUICK CHANGE PLATEN

Takes up less space than swing-away Interchangeable heat platens Wide opening for easy placement Digital display of time, temp & pressure Easy-to-use system



Maxx Digital Clam 16" x 20"

BEST SELLER DURABLE & RELIABLE EVEN PRESSURE & HEATING

Fully digital temperature control Automatic digital timer Heavy-duty steel-welded framework 70 programmable presets Front or rear loading design Easy-to-use system



Craft Press 9" x 12"

BEST SELLER COMPACT & PORTABLE EVEN PRESSURE & HEATING

Perfect for beginers Automatic digital timer Heavy-duty steel-welded framework 70 programmable presets Portable for events Easy-to-use system





MAXX15 15" x 15"

ENTRY LEVEL DURABLE & RELIABLE EVEN PRESSURE & HEATING

Fully digital Interchangeable heat platens Heavy-duty steel-welded framework Easy-to-use system Great for start-ups Space-saving design

Hotronix



STX11 Auto Open 11" x 15"

HANDS-FREE DESIGN DURABLE & RELIABLE QUICK CHANGE PLATENS

Touch screen settings Pressure adjustment for thicker items Magnetic assist lockdown lid Optional quick-change lower platens Easy-to-read digital controls Compact design great for small spaces





HT-400E 15" x 15"

PORTABLE FOR EVENTS ENTRY LEVEL EVEN PRESSUE & HEATING

Full-range temperature removes guesswork Easy-to-use with short learning curve Consistent heat and pressure Press thicker items up to 1.75" thick No digital controls for easy transport

Press Model	Auto Open Clam 16" x 20"	Maxx Digital Clam 16" x 20"	Craft Press
Item #	STX20	MAXX20	CP912JP
Brand	Hotronix®	Hotronix®	N/A
Platen Size	16" x 20"	16" x 20"	9" x 12"
Press Type	Clamshell	Clamshell	Clamshell
Temperature Range	205° - 420° F	205° - 430° F	205° - 420° F
Dimensions (W x D x H)	25" x 36" x 21"	25" x 36" x 21"	12.75" x 17.25" x 12.5"
Max Material Thickness	1-1/8"	3/4"	1/4"
Electrical	120 volt • 15 amps / 1800 watts - 240 volt • 7.5 amps / 1800 watts	120V / 15A / 1800W and 240V / 7.5A / 1800W	120V AC/6.5A
Weight	100 lb	87 lb	40 lb
Additional Information	Cast-in tubular heating, Powder coated finish, UL/ULC/CE	Cast-in tubular heating, Powder coated finish	UL/ULC/CE/RoHS and CE/NRTLCO Approved, Non-stick, Teflon®-coated heating platen
Platen Warranty	Lifetime	Lifetime	1 Year
Press Warranty	5 yr on frame / 2 yr control board / 1 year on parts & labor	1 yr on parts & labor	1 Year
Programmable Presets	N/A	N/A	N/A
For Use With	Sublimation / Vinyl	Sublimation / Vinyl	Sublimation / Vinyl
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$1,800	\$1,250	\$350

Press Model	MAXX15	STX11	HT-400E	
Item #	MAXX15	MAXX15 STX11		
Brand	Hotronix®	Hotronix®	Hix	
Platen Size	15" x 15"	11" x 15"	15" x 15"	
Press Type	Clamshell	Clamshell	Clamshell	
Temperature Range	0° - 400° F	205° - 420°F	0° - 400° F	
Dimensions (W x D x H)	25" x 36" x 21"	25" x 36" x 21"	21" x 33" x 23"	
Max Material Thickness	3/4"	3/4"	1"	
Electrical	120V / 15A / 1800W and 240V / 7.5A / 1800W	120V / 8.3A / 1000W and 240V / 4.5A / 1000W	120V / 12.5A / 1500W and 220V / 7.5A / 1560W	
Weight	65 lb	59 lb	66 lb	
Additional Information	Information Non-stick, Teflon®-coated heating platen, Smooth-shock opening for easier end-user operation Nade in the USA, Cast-in tubula heating, Powder coated finish, U ULC/CE		4" x 5" top pressure plate rather than a single screw - more even pressure on the outside edges of press.	
Platen Warranty	Lifetime	Lifetime	1 Year	
Press Warranty	1 yr on parts & labor	5 yr on frame / 2 yr control board / 1 year on parts & labor	1 yr on machine / 3 months on parts & labor	
Programmable Presets	N/A	N/A	N/A	
For Use With	Sublimation / Vinyl	Sublimation / Vinyl	Sublimation / Vinyl	
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	
Retail	\$1,000	\$1,000	\$875	

SMALL FORMAT **CLAMSHELL** HEAT PRESSES





Evo Pro 15" x 15"

ENTRY LEVEL AUTO RELEASE DIGITAL CONTROLS

Fully digital operations Can't overcook with auto release top Heavy-duty solid-steel framework Evenly distributed pressure Electronic release without the air compressor



HEAVY DUTY DURABLE & RELIABLE

SUPER PORTABLE

Takes up less space than swing-away Automatic digital timer Wide opening for easy placement Digital display of time, temp & pressure Easy-to-use system

Hotronix





STX16 Auto Open 16" x 16"

HANDS-FREE DESIGN DURABLE & RELIABLE QUICK CHANGE PLATENS

Touch screen settings Pressure adjustment for thicker items Magnetic assist lockdown lid Optional quick-change lower platens Easy-to-read digital controls Compact design great for small spaces





Evo Pro 16" x 20"

EVEN PRESSURE & HEATING AUTO RELEASE DIGITAL CONTROLS

Fully digital operations Can't overcook with auto release top Heavy-duty solid-steel framework Evenly distributed pressure Electronic release without the air compressor





HT-600 16" x 20"

EVEN PRESSURE & HEATING AUTO RELEASE DIGITAL CONTROLS

Free "splitter" stand for garments Can't overcook with auto release top Heavy-duty solid-steel framework Evenly distributed pressure Electronic release without the air compressor

Hotronix ::::::



Dual Air Fusion IQ 16" x 20"

TWO PLATENS IN ONE MACHINE **DURABLE & RELIABLE LASER ALIGNMENT SYSTEM**

Fully digital temperature control Automatic digital timer Heavy-duty steel-welded framework 70 programmable presets Front or rear loading design Easy-to-use system

Press Model	Evo Pro	DK16	STX16
Item #	S450	SUBDK16	STX16
Brand	Hix	Geo Knight	Hotronix®
Platen Size	15" x 15"	14" x 16"	16" x 16"
Press Type	Clamshell	Clamshell Manual	Clamshell
Temperature Range	0° - 400° F	32° - 600° F	205° - 420°F
Dimensions (W x D x H)	21" x 33" x 23"	17" x 32" x 16"	36" x 25" x 21"
Max Material Thickness	1/2"	2"	3/4"
Electrical	120V / 14.5A / 1750W and 220V / 10A / 2000W	1500W / 12A / 110V	120V / 15A / 1800W and 240V / 7.5A / 1800W
Weight	72 lb	83 lb	77 lb
Additional Information	Free splitter stand allows you to onal Information Free splitter stand allows you to "dress" shirts over the platen keeping the back away from the heat Automatic Timer, Digita Bar Graph, Interchanges SuperCoil-Microwindir Technology, Self Lifting		Made in the USA, Cast-in tubular heating, Powder coated finish, UL/ ULC/CE
Platen Warranty	1 Year	Lifetime	Lifetime
Press Warranty	1 yr on machine / 3 months on parts & labor	1yr on parts & labor	5 yr on frame / 2 yr control board / 1 year on parts & labor
Programmable Presets	Yes	No	N/A
For Use With	Sublimation / Vinyl	Sublimation / Vinyl	Sublimation / Vinyl
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press free tech s		Press, power cord, free remote install, free tech support for life of heat press
Retail	\$1,795	\$1,104	\$1,400

Press Model	Evo Pro	НТ-600	Dual Air Fusion IQ
Item #	S650	HT600	XRF2
Brand	Hix	Hix	Hotronix®
Platen Size	16" x 20"	16" x 20"	16" x 20"
Press Type	Clamshell	Clamshell - Manual	Clamshell - Automatic
Temperature Range	0° - 450° F	0° - 450° F	32° - 430° F
Dimensions (W x D x H)	21" x 33" x 23"	21" x 33" x 23"	45.5" x 45.5" x 33.5"
Max Material Thickness	1/2"	1/2"	3/4"
Electrical	120V / 14.5A / 1750W and 220V / 10A / 2000W	120V / 14.5A / 1750W and 220V / 10A / 2000W	240V / 15A / 3500W
Weight	83 lb	82 lb	260 lb
Additional Information	Freedom of loading printer while the last print is curing, eliminates risk of overheating transfer.	Spring assist & full range pressure adjustment. Even pressure on thicker items, adds 20% more pressure.	Automatically adjusts time & pressure as it shuttles between workstations. Smooth, quiet, effortless operation.
Platen Warranty	1 Year	1 Year 1 Year	
Press Warranty	3 months on parts & labor	3 mo on parts & labor	5 yr on frame / 2 yr control board / 1 year on parts & labor
Programmable Presets	Yes	N/A	Yes
For Use With	Sublimation / Vinyl	Sublimation / Vinyl	Sublimation
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$1,995	\$1,675	\$7,300

MEDIUM FORMAT **SWING-AWAY** HEAT PRESSES





Insta 288 20" x 25"

HEAVY DUTY LARGE PLATEN EASY TO OPERATE

Consistent temperature and pressure Evenly distributes pressure Changeable lower platen Easy-to-use digital controller





DK25S 20" x 25"

EVEN PRESSURE & HEATING HEAVY DUTY LARGE PLATEN

Heavy-duty solid-steel industrial grade Fully digital time, temp and pressure Interchangeable heat platens Heavy-duty steel-welded framework Easy-to-use system Cycle counter to track job



DK25SP 20" x 25"

EVEN PRESSURE & HEATING AUTOMATIC PRESS LARGE PLATEN

Air-operated automatic press Fully digital time, temp and pressure State-of-the-art control system Heavy-duty solid-steel framework Evenly distributed pressure Cycle counter to track job



SwingMan 25 20" x 25"

OVERSIZED DESIGNS WIDE OPENING EVEN PRESSURE & HEATING

Full-range temperature removes guesswork Great for cut-and-sew apparel Extremely durable Press multiple items at once Touch screen with digital time, temp, and pressure



Digital Press 26" x 32"

HIGH PRODUCTION XL PROJECTS MAXIMUM PRODUCTION

Air-operated automatic press Affordable large format price Heavy-duty solid-steel framework Evenly distributed pressure Press extra large items once Air Compressor Required

Press Model	Insta 288	DK25S	DK25SP
Item #	99INSTA288	SUBDK25S	SUBDK25SP
Brand	Insta	Geo Knight	Geo Knight
Platen Size	20" x 25"	20" x 25"	20" x 25"
Press Type	Swing-Away Manual	Swing-Away Manual	Swing-Away Automatic
Temperature Range	N/A	32° - 600° F	32° - 600° F
Dimensions (W x D x H)	39" x 49" x 22"	36" x 36" x 48"	36" x 36" x 48"
Max Material Thickness	1.375"	1"	1"
Electrical	230V 3300W 14.4AMP	4500W / 21A / 220V	4500W/21A/220V
Weight	200 lb	485 lb	485 lb
Additional Information	Additional Information Cast-In Heating Element, Changeable Lower Platens, Lightweight, Ergonomic handle, Integrated digital controller		Interchangeable Tables, SuperCoil- Microwinding Heater Technology, 70 Programmable Presets
Platen Warranty	Lifetime	Lifetime	Lifetime
Press Warranty	1 Year	1 Year	1 Year
Programmable Presets	No	Yes	Yes
For Use With	Sublimation / Toner Heat Transfer	Sublimation / Toner Heat Transfer	Sublimation / Toner Heat Transfer
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press & stand, power cord, free re- mote install, free tech support for life of heat press	Press & stand, power cord, free re- mote install, free tech support for life of heat press
Retail	\$3,195	\$3,792	\$4,656

Press Model	SwingMan 25	Digital Press
Item #	HSM25S	DK32AP
Brand	Hix	Geo Knight
Platen Size	20" x 25"	26" x 32"
Press Type	Swing-Away	Swing-Away Automatic
Temperature Range	32° - 450° F	32° - 600° F
Dimensions (W x D x H)	31" x 43" x 25"	48" x 40" x 55"
Max Material Thickness	1.75"	2"
Electrical	220V / 10A / 2000W	5600W / 25A / 220V (1PH)
Weight	135 lb	790 lb
Additional Information	Digital Countdown Timer with Alarm, Adjustable Temperature, Solid steel frame, Silicone pad pressing surface	Needs an Air Compressor. Not Included with Purchase.
Platen Warranty	1 Year	Lifetime
Press Warranty	3 mo on parts	1 yr on control / 1 yr on parts
Programmable Presets	Yes	Yes
For Use With	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer / Vinyl
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$3,195	\$8,496

CAP/HAT HEAT PRESSES







JP450 Drinkware Press

BEST SELLER VARIABLE TEMPERATURE MULTIPLE ATTACHMENTS

Comes with four attachments Two optional attachments available Easy-to-use system

One of the most popular heat press machines available

Press mugs, tall and short latte mugs, water bottles, tumblers and shot glasses





DK3 Mug Press

MUG SPECIFIC PRESS CONSTANT TEMPERATURE EASY TO OPERATE

Handle to handle and top to bottom image

Opens extra wide for easy and fast loading and unloading

Features a liner for less than perfectly straight mugs Easy-to-use system

Hotronix



STX6 6" x 6"

AUTO OPEN FOR EASE OF USE PORTABLE FOR EVENTS SPECIALTY SIZED PROJECTS

Perfect for large runs that need a smaller platen

Multi-task without worrying about over pressing your substrate

> Portable for events Easy-to-use system

Multiple platen sizes available



DK7 Digital Cap Press

PROGRAMMABLE SAVES TIME CHANGEABLE PLATENS

Artwork easily stays in place Interchangeable heat platens Heavy-duty steel framework Easy-to-use system 70 programmable presets Digital settings



STXC Auto Cap Press

CHANGEABLE PLATENS ENTRY LEVEL AUTO OPEN

Magnetic auto open Magnetic assist lock down Digital time, temp, & pressure controls Wide opening for easy layout Optional quick-change lower platens



360 IQ Cap Press

ALL-IN-ONE SYSTEM PRINT 360 EASY-TO-USE

Print to all sides of a hat No extra platens needed Top and bottom platens are heated for best results Extremely versatile Portable for events



B-250 Cap Press

PORTABLE ENTRY LEVEL EASY-TO-USE

Lightweight for events Comes with three platens Four programmable presets Touch screen control Adjustable bottom platen Eliminates art shifting

Press Model	JP450 Mug Press	DK3 Mug Press	STX6 AUTO OPEN CLAM
Item #	JP450	99DK3	STX6
Brand	Johnson Plastics Plus	Geo Knight	Hotronix®
Platen Size	5" H and 1/2" from handle	5" H and 1/2" from handle	6" x 6"
Press Type	Mug / Drinkware	Mug / Drinkware	Clamshell
Temperature Range	Up to 420° F	Up to 420° F	205° - 420°F
Dimensions (W x D x H)	16" x 15" x 14"	15" x 13" x 15"	26" x 15" x 21"
Max Material Thickness	8oz, 12oz, 15oz, 17oz	11oz., 15oz. and 16oz	3/4"
Electrical	320W / 220V & 110V	450W / 4A / 120V	120V / 3A / 360W and 240V / 1.5A / 360W
Weight	24 lb	26 lb	30 lb
Additional Information Cylindrical only Multiple attachments available		Cylindrical only	Perfect for large runs of corporate logos on shirts and on bags.
Platen Warranty	3 month	3 year	Lifetime
Press Warranty	3 month control box 1 year for frame	3 month control box 1 year for frame	5 yr on frame / 2 yr control board 1 year parts and labor
Programmable Presets	No	Yes	N/A
For Use With	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Vinyl
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$525.10	\$720	\$900

Press Model	DK7 Digital Cap	Hotronix Auto Cap	360 IQ Hat Press	B-250 Cap Press
Item #	99DK7	STXC	STXCP-10	B250
Brand	Geo Knight	Hotronix®	Hotronix®	Hix
Platen Size	4" x 7"	3.5" x 6"	6" x 5"	3" x 3.5"
Press Type	Cap/Hat Press	Cap/Hat Press	Cap/Hat Press	Cap/Hat Press
Temperature Range	32° - 600° F	205° - 420°F.	100° - 430° F	0° - 450° F
Dimensions (W x D x H)	19" x 12" x 18"	26" x 15" x 21"	18" x 12" x 20"	16" x 19" x 19"
Electrical	450W / 4A / 110V	500W / 4A / 120V 500W / 2A / 240V	120V or 240V	120V / 4A / 450W and 220V / 2A / 430W
Weight	51 lb	30 lbs	44 lb	23 lb
Additional Information	Fast heat up time with even heat through platen.	Wide range of platens to swap out, making it more versitile.	Press multiple locations of a hat. Most versitile.	Extremely lightweight to take on the go to events.
Platen Warranty	Lifetime	Lifetime	Lifetime	1 Year
Press Warranty	5 yr on frame / 3 yr on controller / 1 yr parts	5 yr on frame / 2 yr circuit board	5 yr on frame / 2 yr on circuit board / 1 yr on parts	3 mo on parts
Programmable Presets	Yes - 70	Yes	Yes	Yes
For Use With	Sublimation / Toner Heat Transfer / Vinyl	Sublimation / Toner Heat Transfer	Patches / Toner Heat Transfer / Vinyl	Patches / Sublimation / Toner Heat Transfer / Vinyl
Purchase Includes	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press	Press, power cord, free remote install, free tech support for life of heat press
Retail	\$764	\$950	\$1,495	\$1.140

