

## **SAFETY DATA SHEET**

SDS No: 0003

1-877-ROWMARK

Category 1 = Severe Hazard

Category 2 = Serious Hazard

Category 3 = Moderate Hazard

Category 4 = Slight Hazard

Category 5 = Minimal Hazard

techhelp@rowmark.com

**NEW GHS Hazard Categories** 

Call:

Email:

Section 1. **Product and Company Identification** Product Name: ColorHues™ Trade Name: Acrylic Cast Sheet Recommended Use: Signage, Other Restrictions on Use: None Medical:911 Manufacture: Rowmark In Case of Emergency: Call: Poison Control: 800-589-3897 5409 Hamlet Drive Email:

Information:

Section 2. Hazard Identification

Findlay, OH 45840

GHS Classification: Not Classified
GHS Label Elements: Not Applicable

**GHS Rating** 

| Health       | 5 |
|--------------|---|
| Flammability | 4 |
| Instability  | 5 |
| Special      |   |

Appearance: Clear, opal color or transparent tinted sheet; Characteristic Odor

Process Hazards: Polymers partly degrade at their processing temperature.

| Hazardous Ingridient(s) | LTEL 8hr TWA | LTEL 8hr TWA | STEL | STEL  | Notes |
|-------------------------|--------------|--------------|------|-------|-------|
|                         | ppm          | mg/m3        | ppm  | mg/m3 |       |
| Methyl Methacrylate     | 50           | 208          | 100  | 416   | OES   |

Other Hazards: Not Applicable

| Section 3. | ction 3. Composition / Information on Ingredients |         |             |      |  |
|------------|---|---------|-------------|------|--|
| Name       |   | CAS#    | % by Weight | OHSA |  |
| Methy      | yl methacrylate                                   | 80-62-6 | < 0.5       | Υ    |  |

The substance(s) marked with a "Y" in the OSHA column are idenfitied as hazardous chemicals according to the criteria of the OSHA Hazardous Communication Standard (29 CFR 1910.1200).

While this material is not classified as hazardous under Federal OSHA regulations, this SDS contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

The components of this product are all on the TSCA Inventory list.

The following information are potential hazards made in the sublimation process. These materials were detected in worse case scenario in an un-vented room. The following materials were detected in ppb quantities, much less than 1 ppm (1000 ppb).

\* Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

container for disposal.

Spill / Leak:

| Section 4.   | First Aid Measures   |   |  |  |
|--|--|---|--|--|
| Inhalation:  | Dust and process vapors may be irritation to the nose, throat and respiratory tract. Remove to fresh air. If not |   |  |  |
|  | breathing, give artif  | icial respiration. If breathing is difficult, give oxygen. Get Medical attention.                               |  |  |
| Eyes:  | Dust, fines and proc<br>medical attention.   | sess vapors may irritate the eyes. Immediately flush eyes with water for at least 15 minutes. Get               |  |  |
| Skin:  | Exposure to molten water or a running  | plastic may cause thermal burns. If molten material comes in contact with the skin, cool under ice stream.      |  |  |
| Ingestion:   |  | ffects expected from ingestion.   |  |  |
| Section 5.   | Fire-Fighting Measures   |   |  |  |
| Suitable Extingu   | uishing Methods:   | Dry Chemical, Water Spray, Foam Carbon Dioxide. Avoid using direct streams of water on molten burning material. |  |  |
| Unsuitable Exti  | nguishing Methods:   | NONE known.   |  |  |
| Hazards During   | Fire-fighting:   | Carbon monoxide, carbon dioxide, original monomer other hydrocarbon oxidation products.                         |  |  |
| Protective Equi  | pment:   | Wear self-contained breathing apparatus and protective suit.  |  |  |
| Section 6.   | Accidental Rele  | ase Measures  |  |  |
| Personal Precautions: See Section 8 - Exposure Controls / Personal Protect |  | See Section 8 - Exposure Controls / Personal Protection.  |  |  |
| Environmental  | Precautions:   | No Special environmental precautions required.  |  |  |
| Methods and  | <b>Materials for Conta</b>   | inment and Cleaning Up  |  |  |

| Section 7. | Handling and Storage   |
|------------|--|
| Handling:  | Keep away from heat, flame and strong oxidizing agents.  |
| Storage:   | Keep away from heat, sparks, and flame. Store in cool place in original container and protect form sunlight. |

Containment of this material should not be necessary. Sweep up or gather material and place in appropriate

### Section 8. **Exposure Control and Personal Protection Exposure Limits:** 1) Effects of Acute Exposure: Inhalation of vapors may result in irritation of upper respiratory tract 2) Effects of Chronic Over Exposure: No effects identified 3) OSHA Permissible Exposure Limits: 4) Carcinogen Potential: **Engineering Controls:** Use recommended safe handling practices to minimize unnecessary exposure. General room ventilation is adequate for storage and ordinary handling. Use local exhaust at points of fume generation or if dusty conditions prevail. **Personal Protective Equipment:** Wear safety glasses with side shields or chemical goggles to prevent eye contact. Have eye-washing facilities readily available where eye contact can occur. Wear impervious gloves and protective clothing to prevent skin contact.

| Section 9.  | Physical and Chemical Properties |                   |                |
|-------------|----------------------------------|-------------------|----------------|
| Appearance: | Clear, opal color                | Vapor Pressure:   | Not Applicable |
| Odor:       | Characteristic odor              | Vapor Density:    | Not Applicable |
| pH:         | Not applicable                   | Relative Density: | 1.19 g/cm3     |

| Melting Point / Freezing Point: | No data available    | Solubility (ies):                       | Soluble in most organic solvents |
|---------------------------------|----------------------|---|----------------------------------|
| Boiling Point:                  | No data available    | Partition Coefficient (N-Octanol/Water) | : No data available              |
| Flash Point:                    | 52.7°F (11.5°C)      | Auto-Ignition Temperature:              | 790°F (421°C)                    |
| Evaporation Rate:               | Not applicable       | Decomposition Temperature:              | No data available                |
| Flammability (solid, gas):      | See GHS in section 2 | Viscosity:                              | No data available                |
| Upper Explosive Limit:          | Not applicable       | Specific Gravity:                       | 2.5-2.9 Water = 1 (liquid)       |
| Lower Explosive Limit:          | Not applicable       | Percent Volatile:                       | 0%                               |

| Section 10. Stability Reactivity    |  |  |  |  |
|-------------------------------------|--|--|--|--|
| Reactivity:                         | No data available  |  |  |  |
| Chemical Stability:                 | Stable   |  |  |  |
| Possibility of Hazardous Reactions: | Hazardous polymerization does not occur  |  |  |  |
|                                     | Avoid flames, welding arcs, potential ignition sources, or other high temperature sources, |  |  |  |
| Conditions to Avoid:                | prolonged contact with acids, alkalis and strong oxidizing agents                          |  |  |  |
| Incompatible Materials:             | None under normal conditions of use  |  |  |  |
| Hazardous Decomposition Products:   | Carbon oxides, Acrylates, Methacrylates, Hazardous organic compounds                       |  |  |  |
| Combustion Products:                | No data available  |  |  |  |

| Section 11.        | Toxicological Information |   |  |
|--------------------|---------------------------|---|--|
| Irritation Effects | 5                         |   |  |
|                    | Eye Irritation:           | Solid particles may cause transient irritation from mechanical abrasion.        |  |
|                    | Skin Irritation:          | Not expected to cause skin irritation. Molten material may cause thermal burns. |  |
|                    | Inhalation:               | Not a likely route of exposure. Process fumes may cause irritation.             |  |
|                    | Ingestion:                | May cause a choking hazard if swallowed.  |  |

| Section 12. Ecological Inform  | mation   |
|--------------------------------|--|
| Eco-toxicity:                  | No relevant studies identified.                              |
| Persistence and Degradability: | This material is not expected to be readily biodegradable.   |
| Bio-accumulate Potential:      | Product is not likely to accumulate in biological organisms. |
| Mobility in Soil:              | This Product has not been found to migrate through soils.    |
| Other Adverse Effects:         | No data identified.  |

# Section 13. Disposal Considerations

#### **Disposal Methods**

Product Recommendation:

- 1. Recycle (Reprocess) if product has not been contaminated so as to make it unsuitable for its intended use.
- 2. Disposal through controlled incineration or authorized waste dump in accordance with Local, State or Federal Regulations.

Uncleaned Packaging Recommendation:

1. Disposal must be done in accordance with Local, State, or Federal Regulation.

| Section 14. Transportation           | Information                             |              |  |
|--------------------------------------|---|--------------|--|
| UN Number:                           | Not Relevant                            |              |  |
| UN Proper Shipping Name:             | Not Relevant                            |              |  |
| Transportation Hazard Class(es)      |   |              |  |
| DOT:                                 | Not Regulated/classified                |              |  |
| ADR / RID:                           | Not Regulated/classified                |              |  |
| IMDG:                                | Not Regulated/classified                |              |  |
| ICAO/IATA                            | Not Regulated/classified                |              |  |
| Packing Group:                       | Not Applicable                          |              |  |
| Environmental Hazards:               | Not Relevant                            |              |  |
| Transportation in Bulk (According to | Annex II of MARPOL 73/78 and IBC Code): | Not Relevant |  |
| Special Precautions for User:        | No special precautions                  |              |  |

### Section 15. Regulatory Information

(Not meant to be all-inclusive -- selected regulations represented)

Hazard categories under criteria of SARA Title III Rules (40 CFR Part 370)

| Immediate (Acute) Health   | N | Delayed (Chronic) Health | N |
|----------------------------|---|--------------------------|---|
| Sudden Release of Pressure | N | Reactive                 | N |
| Fire                       | N |                          |   |

#### Section 16. Other Information

No Additional Information

**NOTICE:** The information presented in this Safety Data Sheet is based on data considered to be accurate as of the date this Safety Data Sheet was prepared. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. In additional, no responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.

Revision Date: March 7, 2017