



COLOR CHART

Laser | Rotary | Print

Product Material Selection

COLORHUES™ & COLORHUES^{EFX}

NEW



CH341-690 1-ply 1/8"



CH341-700 1-ply 1/8"



CH341-720 1-ply 1/8"



CH341-500 1-ply 1/8"



CH341-900 1-ply 1/8"



CH341-100 1-ply 1/8"



CH341-101 1-ply 1/8"
CH351-101 1-ply 1/4"



CH341-601 1-ply 1/8"
CH351-601 1-ply 1/4"



CH341-621 1-ply 1/8"
CH351-621 1-ply 1/4"



CH341-611 1-ply 1/8"



CH341-211 1-ply 1/8"
CH351-211 1-ply 1/4"



CH341-721 1-ply 1/8"
CH351-721 1-ply 1/4"



CH341-701 1-ply 1/8"



CH341-931 1-ply 1/8"
CH351-931 1-ply 1/4"



CH341-921 1-ply 1/8"
CH351-921 1-ply 1/4"



CH341-551 1-ply 1/8"



CH341-541 1-ply 1/8"
CH351-541 1-ply 1/4"



CH341-531 1-ply 1/8"



CH341-511 1-ply 1/8"




CH341-521 1-ply 1/8"



CH341-581 1-ply 1/8"



CH341-441 1-ply 1/8"



CH341-631 1-ply 1/8"



CH341-661 1-ply 1/8"



CH341-651 1-ply 1/8"




CH341-791 1-ply 1/8"



CH341-991 1-ply 1/8"



CH341-961 1-ply 1/8"



CH341-501 1-ply 1/8"



CH341-571 1-ply 1/8"



CH341-301 1-ply 1/8"



CH341-803 1-ply 1/8"




CH341-831 1-ply 1/8"



CH341-221 1-ply 1/8"



CH341-201 CH351-201 1-ply 1/8"
1-ply 1/4"



CH341-401 1-ply 1/8"
CH351-401 1-ply 1/4"



CH342-496 2-ply 1/8"



CH342-407 2-ply 1/8"



CH342-427 2-ply 1/8"



CH342-406 2-ply 1/8"



CH342-426 2-ply 1/8"



CH342-417 2-ply 1/8"



CH342-439 2-ply 1/8"



CH342-455 2-ply 1/8"

TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures). Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when laserengraving certain gauges.

Material

Cell cast acrylic (PMMA)

Finish

Matte non-glow (1 side)

Gloss (1 side)

*Gloss on both sides

● Edge Glow

Sheet Size

24-1/8" x 48-1/2" +0, -.125" //
613mm x 1225mm

Engraving Depth

ColorHues N/A (Single ply)
EFX .003" // .08mm

Gauge

1/8" +/- .016 // .4mm
1/4" +/- .032 // .8mm

Usage ColorHues

Interior signage
Exterior signage
Tactile signage
Signage component or substrate
Craft and artistry projects

Usage EFX

Interior signage
Restaurant/pub signage & displays
Retail environments
Illuminated wayfinding & directories
Point-of-purchase

Capabilities ColorHues

Scores
Drills
Screen Prints
Fine Detail
Back-lighting
Sandblasts

Laser Vector Cuts
Bevels
Hot Stamps
UV Stable
Braille-encravable
UV-LED Printable

Saws
Heat Bendable
Bonds
Paintfill
Thermal Prints
ADA Tactile

Capabilities EFX

Scores
Drills
Screen Prints
Fine Detail
Back-lighting
Sandblasts

Laser Vector Cuts
Bevels
Hot Stamps
UV Stable
Braille-encravable

Saws
Heat Bendable
Bonds
Paintfill
Thermal Prints

HARDWOOD COLLECTION™ NEW



Cherry
RW1224-125CHE 1/8"
RW1824-125CHE 1/8"
RW1224-250CHE 1/4"
RW1824-250CHE 1/4"



Maple
RW1224-125MAP 1/8"
RW1824-125MAP 1/8"
RW1224-250MAP 1/4"
RW1824-250MAP 1/4"



Red Oak
RW1224-125OAK 1/8"
RW1824-125OAK 1/8"
RW1224-250OAK 1/4"
RW1824-250OAK 1/4"



Walnut
RW1224-125WAL 1/8"
RW1824-125WAL 1/8"
RW1224-250WAL 1/4"
RW1824-250WAL 1/4"



Mahogany
RW1224-125MAH 1/8"
RW1824-125MAH 1/8"
RW1224-250MAH 1/4"
RW1824-250MAH 1/4"

TECHNICAL SPECIFICATIONS

Material
Hardwood Layered Veneers

Sheet Size
12" x 24" // 305mm x 610mm
18" x 24" // 457mm x 610mm

Usage
Interior signage
Craft and artistry projects
Signage component or substrate

Capabilities
Saws
Hot Stamps
Sandblasts
Drills
Bonds
Screen Prints
Colorfill

Finish
Natural/Unfinished

Engraving Depth
N/A (Single ply)

REFLEXIONS™ NEW



RM942-340 2-ply 1/8"



RM942-341 2-ply 1/8"



RM942-351 2-ply 1/8"



RM942-300 2-ply 1/8"



RM942-870 2-ply 1/8"



RM942-730 2-ply 1/8"



RM942-731 2-ply 1/8"

TECHNICAL SPECIFICATIONS

Material
Cell cast acrylic (PMMA)

Sheet Size
24" x 48" +.1875" -.0" // 610mm
x 1219mm

Usage
Interior signage
Exterior signage
Signage component or substrate
Craft and artistry projects


Capabilities
Scores
Bevels
Hot Stamps
UV Stable
Thermal Prints
Saws
Heat Bendable
Bonds
Paintfill
Sandblasts
Drills
Screen Prints
Fine Detail
Back-lighting

Finish
Frosted matte non-glare (1 side)
Mirrored (1 side)

Engraving Depth
.012" // 0.30mm

Rowmarkably Simple.

Rowmark's Color Snap Match App




Rowmark's NEW color match app allows you to snap a photo, select a color and instantly match your project colors to Rowmark products... anywhere!

- /// Quickly receive expert suggestions on the best Rowmark products for your project based on color and product features.
- /// Directly request samples of product matches.
- /// Access to Pantone®, CMYK, RGB & HEX color information on product matches.
- /// Can't find what you are looking for? Submit a custom color match directly from the app.

Download on the
App Store

Get it on
Google play



REQUEST A FREE COPY OF OUR SAMPLE MATERIAL KIT.

Test Rowmark's new and popular products for laser marking, rotary engraving and UV Printable today! Each kit includes a Color Chart, several plastic samples and helpful fabrication tips and tricks.

Request your FREE kit today at
samples@rowmark.com!



ROTARY ENGRAVING MATERIALS

MATTES



Red/ White	Burgundy/ White	Orange/ White	Yellow/ Black	Bright Green/ White	Celadon Green/White	Pine Green/ White	Light Blue/ White	Sapphire/ White
212-602 2-ply 1/32" 222-602 2-ply 1/16" 223-602 3-ply 1/16" 243-602 3-ply 1/8"	222-622 2-ply 1/16" 243-622 3-ply 1/8"	222-612 2-ply 1/16" 243-612 3-ply 1/8"	212-744 2-ply 1/32" 222-744 2-ply 1/16" 223-744 3-ply 1/16" 243-744 3-ply 1/8"	212-932 2-ply 1/32" 222-932 2-ply 1/16" 223-932 3-ply 1/16" 243-932 3-ply 1/8"	222-972 2-ply 1/16" 243-972 3-ply 1/8"	222-912 2-ply 1/16" 243-912 3-ply 1/8"	222-562 2-ply 1/16" 243-562 3-ply 1/8"	222-502 2-ply 1/16" 243-502 3-ply 1/8"
Blue/ White	Navy Blue/ White	China Blue/ White	Purple/ White	Almond/ Black	Ivory/ Dark Brown	Med. Brown/ White	Dark Brown/ White	White/ Red
212-512 2-ply 1/32" 222-512 2-ply 1/16" 223-512 3-ply 1/16" 243-512 3-ply 1/8"	222-552 2-ply 1/16" 243-552 3-ply 1/8"	222-382 2-ply 1/16" 243-382 3-ply 1/8"	222-582 2-ply 1/16" 243-582 3-ply 1/8"	222-854 2-ply 1/16" 243-854 3-ply 1/8"	222-228 2-ply 1/16" 243-228 3-ply 1/8"	222-822 2-ply 1/16" 243-822 3-ply 1/8"	222-842 2-ply 1/16" 243-842 3-ply 1/8"	212-206 2-ply 1/32" 222-206 2-ply 1/16" 243-206 3-ply 1/8"
White/ Burgundy	White/ Bright Green	White/ Blue	White/ Black	Light Grey/ Burgundy	Light Grey/ Marine Blue	Light Grey/ Black	Grey/ White	Black/ White
222-226 2-ply 1/16" 243-226 3-ply 1/8"	222-209 2-ply 1/16" 243-209 3-ply 1/8"	212-205 2-ply 1/32" 222-205 2-ply 1/16" 243-205 3-ply 1/8"	212-204 2-ply 1/32" 222-204 2-ply 1/16" 223-204 3-ply 1/16" 243-204 3-ply 1/8"	222-326 2-ply 1/16" 243-326 3-ply 1/8"	222-325 2-ply 1/16" 243-325 3-ply 1/8"	222-324 2-ply 1/16" 243-324 3-ply 1/8"	222-312 2-ply 1/16" 243-312 3-ply 1/8"	212-402 2-ply 1/32" 222-402 2-ply 1/16" 223-402 3-ply 1/16" 243-402 3-ply 1/8"
Black/ Bright White	Walnut/ White	English Walnut/ Bright White	Black Walnut/ White					
222-412 2-ply 1/16" 243-412 3-ply 1/8"	222-172 2-ply 1/16" 243-172 3-ply 1/8"	222-192 2-ply 1/16" 243-192 3-ply 1/8"	222-002 2-ply 1/16" 243-002 3-ply 1/8"					

TECHNICAL SPECIFICATIONS

Material	Sheet Size	Usage	Capabilities
Microsurfaced ABS	24-1/8" x 48-3/4" // 613mm x 1238mm	Interior signage Personal identification Trophies, awards & plaques	Scores Bevels Hot Stamps Thermal Prints
Finish	Engraving Depth		Saws Heat Bendable Bonds Shears
Matte non-glare Patterned	.003" // .08mm		Drills Screen Prints Fine Detail Sandblasts

LACQUERS



Red/ White	Yellow/ Black	Safety Yellow/ Black	Bright Green/ White	Teal/ White	Blue/ White	Sapphire/ White	White/ Red	White/ Blue
422-602 2-ply 1/16" 442-602 2-ply 1/8"	422-704 2-ply 1/16" 442-704 2-ply 1/8"	422-794 2-ply 1/16" 442-794 2-ply 1/8"	422-932 2-ply 1/16" 442-932 2-ply 1/8"	422-962 2-ply 1/16" 442-962 2-ply 1/8"	422-512 2-ply 1/16" 442-512 2-ply 1/8"	422-562 2-ply 1/16" 442-562 2-ply 1/8"	422-206 2-ply 1/16" 442-206 2-ply 1/8"	422-205 2-ply 1/16" 442-205 2-ply 1/8"
White/ Black	Black/ White	Vintage Gold/ Black	Vintage Silver/ Black					
422-204 2-ply 1/16" 442-204 2-ply 1/8"	422-402 2-ply 1/16" 442-402 2-ply 1/8"	422-774 2-ply 1/16" 442-774 2-ply 1/8"	422-384 2-ply 1/16" 442-384 2-ply 1/8"					

TECHNICAL SPECIFICATIONS

Material	Sheet Size	Usage	Capabilities
Laminated impact acrylic	24-1/8" x 48-3/4" // 613mm x 1238mm	Interior signage Exterior signage Personal identification	Drills Bevels Heat Bendable Hot Stamps Laser Vector Cuts
Finish	Engraving Depth		UV Stable
Gloss	.012" // .30mm		

ULTRA-MATTEs Front Engravable



Red/White	Red/Yellow	Dusty Rose/White	Ruby/White	Garnet/Ash	Canyon/Ash	Canyon/Cement	Yellow/Black	Safety Yellow/Black
322-602 2-ply 1/16" 342-602 2-ply 1/8" 343-602 3-ply 1/8"	322-607 2-ply 1/16" 342-607 2-ply 1/8" 343-607 3-ply 1/8"	322-662 2-ply 1/16" 342-662 2-ply 1/8" 343-662 3-ply 1/8"	322-632 2-ply 1/16" 342-632 2-ply 1/8" 343-632 3-ply 1/8"	322-642 2-ply 1/16" 342-642 2-ply 1/8" 343-642 3-ply 1/8"	322-862 2-ply 1/16" 342-862 2-ply 1/8" 343-862 3-ply 1/8"	322-823 2-ply 1/16" 342-823 2-ply 1/8" 343-823 3-ply 1/8"	322-704 2-ply 1/16" 342-704 2-ply 1/8" 343-704 3-ply 1/8"	322-794 2-ply 1/16" 342-794 2-ply 1/8" 343-794 3-ply 1/8"
Bright Green/White	Celadon Green/White	Hunter Green/White	Hunter Green/Gold	Black Forest Green/White	Sea Grey/White	Balsam/Ash	Teal/White	Ocean Blue/White
322-932 2-ply 1/16" 342-932 2-ply 1/8" 343-932 3-ply 1/8"	322-972 2-ply 1/16" 342-972 2-ply 1/8" 343-972 3-ply 1/8"	322-992 2-ply 1/16" 342-992 2-ply 1/8" 343-992 3-ply 1/8"	322-997 2-ply 1/16" 342-997 2-ply 1/8" 343-997 3-ply 1/8"	322-902 2-ply 1/16" 342-902 2-ply 1/8" 343-902 3-ply 1/8"	322-312 2-ply 1/16" 342-312 2-ply 1/8" 343-312 3-ply 1/8"	322-942 2-ply 1/16" 342-942 2-ply 1/8" 343-942 3-ply 1/8"	322-962 2-ply 1/16" 342-962 2-ply 1/8" 343-962 3-ply 1/8"	322-592 2-ply 1/16" 342-592 2-ply 1/8" 343-592 3-ply 1/8"
Blue/White	Blue/Yellow	Sapphire/White	Blueberry/Gold	Blueberry/White	China Blue/White	Ash/Garnet	Ash/Cinder	Sandalwood/Canyon
322-512 2-ply 1/16" 342-512 2-ply 1/8" 343-512 3-ply 1/8"	322-517 2-ply 1/16" 342-517 2-ply 1/8" 343-517 3-ply 1/8"	322-562 2-ply 1/16" 342-562 2-ply 1/8" 343-562 3-ply 1/8"	322-527 2-ply 1/16" 342-527 2-ply 1/8" 343-527 3-ply 1/8"	322-542 2-ply 1/16" 342-542 2-ply 1/8" 343-542 3-ply 1/8"	322-382 2-ply 1/16" 342-382 2-ply 1/8" 343-382 3-ply 1/8"	322-246 2-ply 1/16" 342-246 2-ply 1/8" 343-246 3-ply 1/8"	322-244 2-ply 1/16" 342-244 2-ply 1/8" 343-244 3-ply 1/8"	322-218 2-ply 1/16" 342-218 2-ply 1/8" 343-218 3-ply 1/8"
Sandalwood/Balsam	Parchment/Black	Ivory/Dark Brown	Beige/White	Beige/Dark Brown	Taupe/White	Driftwood/Alpine	White/Red	White/Blue
322-219 2-ply 1/16" 342-219 2-ply 1/8" 343-219 3-ply 1/8"	322-814 2-ply 1/16" 342-814 2-ply 1/8" 343-814 3-ply 1/8"	322-228 2-ply 1/16" 342-228 2-ply 1/8" 343-228 3-ply 1/8"	322-832 2-ply 1/16" 342-832 2-ply 1/8" 343-832 3-ply 1/8"	322-838 2-ply 1/16" 342-838 2-ply 1/8" 343-838 3-ply 1/8"	322-802 2-ply 1/16" 342-802 2-ply 1/8" 343-802 3-ply 1/8"	322-595 2-ply 1/16" 342-595 2-ply 1/8" 343-595 3-ply 1/8"	322-206 2-ply 1/16" 342-206 2-ply 1/8" 343-206 3-ply 1/8"	322-205 2-ply 1/16" 342-205 2-ply 1/8" 343-205 3-ply 1/8"
White/Black	White/Gold	Cement/Garnet	Cement/Canyon	Graphite/White	Cinder/Clay	Cinder/White	Charcoal Grey/White	Dark Brown/White
322-204 2-ply 1/16" 342-204 2-ply 1/8" 343-204 3-ply 1/8"	322-217 2-ply 1/16" 342-217 2-ply 1/8" 343-217 3-ply 1/8"	322-236 2-ply 1/16" 342-236 2-ply 1/8" 343-236 3-ply 1/8"	322-238 2-ply 1/16" 342-238 2-ply 1/8" 343-238 3-ply 1/8"	322-392 2-ply 1/16" 342-392 2-ply 1/8" 343-392 3-ply 1/8"	322-413 2-ply 1/16" 342-413 2-ply 1/8" 343-413 3-ply 1/8"	322-432 2-ply 1/16" 342-432 2-ply 1/8" 343-432 3-ply 1/8"	322-302 2-ply 1/16" 342-302 2-ply 1/8" 343-302 3-ply 1/8"	322-842 2-ply 1/16" 342-842 2-ply 1/8" 343-842 3-ply 1/8"
Black/Silver	Black/White	Black/Yellow	Black/Gold	Vintage Gold/Black	Vintage Silver/Black			
322-423 2-ply 1/16" 342-423 2-ply 1/8" 343-423 3-ply 1/8"	322-402 2-ply 1/16" 342-402 2-ply 1/8" 343-402 3-ply 1/8"	322-407 2-ply 1/16" 342-407 2-ply 1/8" 343-407 3-ply 1/8"	322-417 2-ply 1/16" 342-417 2-ply 1/8" 343-417 3-ply 1/8"	322-774 2-ply 1/16" 342-774 2-ply 1/8" 343-774 3-ply 1/8"	322-384 2-ply 1/16" 342-384 2-ply 1/8" 343-384 3-ply 1/8"			

TECHNICAL SPECIFICATIONS

Material	Sheet Size	Usage	Capabilities
Laminated impact acrylic	24-1/8" x 48-3/4" // 613mm x 1238mm	Interior signage Exterior signage Personal identification Tactile Signage	Saws Drills Bevels Hot Stamps Braille Engravable
Finish	Engraving Depth .012" // .30mm		Shears Heat Bendable Bonds Thermal Prints

SLICKERS



Clear/Red	Clear/Yellow	Clear/Sapphire	Clear/White	Clear/Black	Clear/Clear
412-600 2-ply 1/32" 422-600 2-ply 1/16" 442-600 2-ply 1/8"	412-700 2-ply 1/32" 422-700 2-ply 1/16" 442-700 2-ply 1/8"	412-560 2-ply 1/32" 422-560 2-ply 1/16" 442-560 2-ply 1/8"	412-200 2-ply 1/32" 422-200 2-ply 1/16" 442-200 2-ply 1/8"	412-400 2-ply 1/32" 422-400 2-ply 1/16" 442-400 2-ply 1/8"	411-100 1-ply 1/32" 422-100 1-ply 1/16" 442-100 1-ply 1/8"
412-600 2-ply 1/16" 422-600 2-ply 1/8"	412-700 2-ply 1/16" 422-700 2-ply 1/8"	412-560 2-ply 1/16" 422-560 2-ply 1/8"	412-200 2-ply 1/16" 422-200 2-ply 1/8"	412-400 2-ply 1/16" 422-400 2-ply 1/8"	411-100 1-ply 1/16" 422-100 1-ply 1/8"

TECHNICAL SPECIFICATIONS

Material	Sheet Size	Usage	Capabilities
Laminated impact acrylic for reverse engraving	24-1/8" x 48-3/4" // 613mm x 1238mm	Interior signage Exterior signage Personal identification	Saws Drills Bevels Hot Stamps Braille Engravable
Finish	Engraving Depth .012" // .30mm		Shears Heat Bendable Bonds Back-lighting

ULTRA-MATTES Reverse Engravable



Matte/ Red	Matte/ Dusty Rose	Matte/ Ruby	Matte/ Canyon	Matte/ Orange	Matte/ Yellow	Matte/ Bright Green	Matte/ Celadon Green	Matte/ Hunter Green
312-601 2-ply 1/32" 322-601 2-ply 1/16" 342-601 2-ply 1/8"	312-661 2-ply 1/32" 322-661 2-ply 1/16" 342-661 2-ply 1/8"	312-631 2-ply 1/32" 322-631 2-ply 1/16" 342-631 2-ply 1/8"	312-861 2-ply 1/32" 322-861 2-ply 1/16" 342-861 2-ply 1/8"	312-651 2-ply 1/32" 322-651 2-ply 1/16" 342-651 2-ply 1/8"	312-701 2-ply 1/32" 322-701 2-ply 1/16" 342-701 2-ply 1/8"	312-911 2-ply 1/32" 322-911 2-ply 1/16" 342-911 2-ply 1/8"	312-931 2-ply 1/32" 322-931 2-ply 1/16" 342-931 2-ply 1/8"	312-991 2-ply 1/32" 322-991 2-ply 1/16" 342-991 2-ply 1/8"

Matte/ Black Forest Green	Matte/ Sea Grey	Matte/ Teal	Matte/ Ocean Blue	Matte/ Blue	Matte/ Sapphire	Matte/ Blueberry	Matte/ China Blue	Matte/ Beige
312-901 2-ply 1/32" 322-901 2-ply 1/16" 342-901 2-ply 1/8"	312-311 2-ply 1/32" 322-311 2-ply 1/16" 342-311 2-ply 1/8"	312-921 2-ply 1/32" 322-921 2-ply 1/16" 342-921 2-ply 1/8"	312-591 2-ply 1/32" 322-591 2-ply 1/16" 342-591 2-ply 1/8"	312-511 2-ply 1/32" 322-511 2-ply 1/16" 342-511 2-ply 1/8"	312-561 2-ply 1/32" 322-561 2-ply 1/16" 342-561 2-ply 1/8"	312-541 2-ply 1/32" 322-541 2-ply 1/16" 342-541 2-ply 1/8"	312-381 2-ply 1/32" 322-381 2-ply 1/16" 342-381 2-ply 1/8"	312-831 2-ply 1/32" 322-831 2-ply 1/16" 342-831 2-ply 1/8"

Matte/ Taupe	Matte/ Cinder	Matte/ Charcoal Grey	Matte/ Dark Brown	Matte/ Vintage Gold	Matte/ Vintage Silver	Matte/ Graphite	Matte/ Black	Matte/ White
312-801 2-ply 1/32" 322-801 2-ply 1/16" 342-801 2-ply 1/8"	312-431 2-ply 1/32" 322-431 2-ply 1/16" 342-431 2-ply 1/8"	312-301 2-ply 1/32" 322-301 2-ply 1/16" 342-301 2-ply 1/8"	312-841 2-ply 1/32" 322-841 2-ply 1/16" 342-841 2-ply 1/8"	312-731 2-ply 1/32" 322-731 2-ply 1/16" 342-731 2-ply 1/8"	312-371 2-ply 1/32" 322-371 2-ply 1/16" 342-371 2-ply 1/8"	312-391 2-ply 1/32" 322-391 2-ply 1/16" 342-391 2-ply 1/8"	312-401 2-ply 1/32" 322-401 2-ply 1/16" 342-401 2-ply 1/8"	312-201 2-ply 1/32" 322-201 2-ply 1/16" 342-201 2-ply 1/8"

TECHNICAL SPECIFICATIONS

Material

Laminated impact acrylic for reverse engraving

Finish

Matte non-glare

Sheet Size

24-1/8" x 48-3/4" //
613mm x 1238mm

Engraving Depth

.012" // .30mm

Usage

Interior signage
Exterior signage
Personal identification
Tactile signage

Capabilities

Saws
Drills
Laser Vector Cuts
Bevels
Screen Prints
Hot Stamps
UV Stable
Paintfill
Thermal Prints
Braille
Sandblasts
Shears
Heat Bendable
Bonds
Braille-parable

SAFE-T-MARK™



Red/ White	Vibrant Orange/ Black	Yellow/ Black	Bright Green/ White	Blue/ White	White/ Black	Grey/ White	Grey/ Black	Black/ White
FR222-602 2-ply 1/16" FR223-602 3-ply 1/16"	FR222-624 2-ply 1/16" FR223-624 3-ply 1/16"	FR222-744 2-ply 1/16" FR223-744 3-ply 1/16"	FR222-932 2-ply 1/16" FR223-932 3-ply 1/16"	FR222-512 2-ply 1/16" FR223-512 3-ply 1/16"	FR222-204 2-ply 1/16" FR223-204 3-ply 1/16"	FR222-312 2-ply 1/16" FR223-312 3-ply 1/16"	FR222-314 2-ply 1/16" FR223-314 3-ply 1/16"	FR222-402 2-ply 1/16" FR223-402 3-ply 1/16"

TECHNICAL SPECIFICATIONS

Fabrication friendly alternative to traditional phenolic materials for indoor applications. Electrically non-conductive, insulative, fire retardant, non-flammable.

Material

Fire retardant functional polymer

Finish

Matte non-glare

Sheet Size

24-1/8" x 48-3/4" //

613mm x 1238mm

Engraving Depth

.003" // .08mm

Usage

Industrial tags
Safety signage
Equipment ID tags
Electrical tags
Control panels

Capabilities

Scores
Bevels
Hot Stamps
Thermal Prints
Saws
Drills
Screen Prints
Fine Detail

HEAVY WEIGHTS™



Red/White/ Red	Red/Black/ Red	Blue/White/ Blue	White/Blue/ White	Black/White/ Black	White/Black/ White	Tan/Green/ Tan	Green/Tan/ Green	Brown/White/ Brown
HW853-602 3-ply 1/4" HW873-602 3-ply 1/2"	HW853-604 3-ply 1/4" HW873-604 3-ply 1/2"	HW853-512 3-ply 1/4" HW873-512 3-ply 1/2"	HW853-205 3-ply 1/4" HW873-205 3-ply 1/2"	HW853-402 3-ply 1/4" HW873-402 3-ply 1/2"	HW853-204 3-ply 1/4" HW873-204 3-ply 1/2"	HW853-797 3-ply 1/4" HW873-797 3-ply 1/2"	HW853-908 3-ply 1/4" HW873-908 3-ply 1/2"	HW853-802 3-ply 1/4" HW873-802 3-ply 1/2"

TECHNICAL SPECIFICATIONS

Material

High-density polyethylene

Finish

Textured

Sheet Size

24" x 48" // 610mm x 1219mm

Engraving Depth

1/4"= .030" // .8mm

1/2"= .060" // 1.6mm

Usage

Architectural
Outdoor & recreational
Interior signage
Exterior Signage

Capabilities

Saws
Drills
UV Stable



 Indoor Use



Outdoor Weatherable



UV Stable



SATINS



Red/ White	Red/ Black	Red/ Yellow	Burgundy/ White	Orange/ White	Orange/ Black	Yellow/ Black	Yellow/ Red	Yellow/ Blue
112-602 122-602 132-602	2-ply 1/32" 2-ply 1/16" 3-ply 1/8"	2-ply 1/16" 3-ply 1/8"	122-607 143-607	2-ply 1/16" 3-ply 1/8"	122-622 143-622	2-ply 1/16" 3-ply 1/8"	122-612 143-612	2-ply 1/16" 3-ply 1/8"
112-602 122-602 132-602	2-ply 1/16" 2-ply 1/8"	143-604	143-607	122-607 143-607	122-622 143-622	122-612 143-612	122-614 143-614	122-616 143-618
132-602	3-ply 1/16" 2-ply 3/32"							

Bright Green/ White	Green/ White	Pine Green/ White	Aqua/ White	Blue/ White	Blue/ Yellow	Blue/ Silver	Navy Blue/ White	Air Force Blue/White	
112-932	2-ply 1/32"	122-902	2-ply 1/16"	122-912	2-ply 1/16"	122-942	2-ply 1/16"	112-512	2-ply 1/32"
122-932	2-ply 1/16"	143-902	3-ply 1/8"	143-912	3-ply 1/8"	143-942	3-ply 1/8"	122-517	2-ply 1/16"
123-932	3-ply 1/16"					123-512	3-ply 1/16"	143-517	3-ply 1/8"
132-932	2-ply 3/32"					132-512	2-ply 3/32"		

Metallic Blue/ White	Purple/ White	Almond/ Black	Ivory/ Dark Brown	Beige/ Dark Brown	Beige/ White	Med. Brown/ White	Dark Brown/ White	White/ Red
122-542 142-542	2-ply 1/16" 2-ply 1/8"	122-582 142-582	2-ply 1/16" 2-ply 1/8"	122-854 142-854	2-ply 1/16" 2-ply 1/8"	122-228 142-228	2-ply 1/16" 2-ply 1/8"	122-638 142-638
						122-832 142-832	2-ply 1/16" 2-ply 1/8"	122-832 142-832

Polar White/ Red	White/ Orange	White/ Bright Green	Polar White/ Bright Green	White/ Pine Green	White/ Blue	Polar White/ Blue	White/ Dark Brown	White/ Black
122-246 122-216 143-216	2-ply 1/16" 2-ply 1/16" 3-ply 1/8"	122-209 143-209	2-ply 1/16" 3-ply 1/8"	122-239 143-269	2-ply 1/16" 3-ply 1/8"	122-269 143-269	2-ply 1/16" 3-ply 1/8"	122-205 143-205
122-235 122-208 143-208	2-ply 1/16" 2-ply 1/16" 3-ply 1/8"	122-203 142-204						

Polar White/ Black	Metallic Grey/ White	Battleship Grey/White	Grey/ White	Grey/ Black	Black/ White	Black/ Bright White	Black/ Red	Black/ Yellow
122-234 132-234 143-234	2-ply 1/16" 2-ply 3/32" 3-ply 1/8"	122-312 143-312	2-ply 1/16" 3-ply 1/8"	122-362 143-362	2-ply 1/16" 3-ply 1/8"	122-302 143-302	2-ply 1/16" 3-ply 1/8"	122-304 143-304
122-304 132-402 143-402	2-ply 1/32" 2-ply 1/16" 3-ply 1/8"	112-402 142-402	2-ply 1/32" 2-ply 1/16" 3-ply 1/8"	122-402 143-402	2-ply 1/16" 3-ply 1/8"	122-412 143-412	2-ply 1/16" 3-ply 1/8"	122-406 143-406



TECHNICAL SPECIFICATIONS

Material	Sheet Size	Usage	Capabilities
Acrylic cap, ABS core	24-1/8" x 48-3/4" // 613mm x 1238mm	Interior signage Personal identification	Saws Shears
Finish	Engraving Depth		Drills Bevels Screen Prints Bonds
Brushed	.012" // .30mm		Heat Bendable Hot Stamps

NOMARK® PLUS & STANDARD METALS



Deep Bronze/ Black	Br. Gold/ Black	European Gold/Black	Smooth Gold/ Black	Br. Aluminum/ Black	Br. Silver/ Black	Smooth Silver/ Black
Standard: 512-884 522-884 NoMark® Plus: 522-8840+	Standard: 512-734 522-734 NoMark® Plus: 522-7340+	Standard: 512-754 522-754 NoMark® Plus: 522-7540+	Standard: 512-714 522-714 NoMark® Plus: 522-7540+	Standard: 512-354 522-354 NoMark® Plus: 522-3540+	Standard: 512-334 522-334 NoMark® Plus: 522-3340+	Standard: 512-344 522-344 NoMark® Plus: 522-3440+

TECHNICAL SPECIFICATIONS

NoMark® Plus is a clear acrylic protective coating to minimize finger prints, scratches and mars.

Material Microsurfaced ABS	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Personal identification Trophies, awards & plaques	Capabilities Scores Drills Screen Prints Fine Detail	Saws Bevels Hot Stamps Thermal Prints	Shears Heat Bendable Bonds Sandblasts
Finish Brushed metal	Engraving Depth .003" // .08mm				

◆ Not recommended for harsh or high humidity indoor or outdoor applications.



LASER & ROTARY ENGRAVING MATERIALS

LASERMAX® NEW



 Crimson/ White	 Crimson/ Yellow	 Claret/ White	 Ribbon Pink/ White	 Ribbon Pink/ Black	 Tangerine/ White	 Canary/ Black
LM912-602 2-ply 1/32" LM922-602 2-ply 1/16" LM942-602 2-ply 1/8" LM943-602 3-ply 1/8"	LM922-607 2-ply 1/16"	LM922-622 2-ply 1/16"	LM922-662 2-ply 1/16"	LM922-664 2-ply 1/16"	LM922-612 2-ply 1/16"	LM912-704 2-ply 1/32" LM922-704 2-ply 1/16" LM942-704 2-ply 1/8" LM943-704 3-ply 1/8"
 Kelley Green/ White	 Celadon Green/ White	 Evergreen/ White	 Sky Blue/ White	 Sky Blue/ Yellow	 Sapphire/ White	 Light Blue/ White
LM912-932 2-ply 1/32" LM922-932 2-ply 1/16" LM942-932 2-ply 1/8"	LM922-972 2-ply 1/16"	LM912-912 2-ply 1/32" LM922-912 2-ply 1/16" LM942-912 2-ply 1/8"	LM912-512 2-ply 1/32" LM922-512 2-ply 1/16" LM942-512 2-ply 1/8" LM943-512 3-ply 1/8"	LM922-517 2-ply 1/16"	LM922-502 2-ply 1/16"	LM922-562 2-ply 1/16"
 Patriot Blue/ White	 China Blue/ White	 Purple/ White	 White/ Crimson	 White/ Burgundy	 White/ Sky Blue	 White/ Bright Green
LM922-552 2-ply 1/16"	LM922-382 2-ply 1/16"	LM922-582 2-ply 1/16"	LM922-206 2-ply 1/16"	LM922-226 2-ply 1/16"	LM922-205 2-ply 1/16"	LM922-209 2-ply 1/16"
 White/ Pine Green	 White/ Black	 Ivory/ Dark Brown	 Almond/ Black	 Light Grey/ Burgundy	 Light Grey/ Marine Blue	 Light Grey/ Black
LM922-269 2-ply 1/16"	LM912-204 2-ply 1/32" LM922-204 2-ply 1/16" LM942-204 2-ply 1/8" LM943-204 3-ply 1/8"	LM922-228 2-ply 1/16"	LM922-854 2-ply 1/16"	LM922-326 2-ply 1/16"	LM922-325 2-ply 1/16"	LM922-324 2-ply 1/16"
 Smoke Grey/ White	 Med. Brown/ White	 Dark Brown/ White	 Black/ White	 Gloss Black/ White	 Black/ Yellow	 Black/ Gold
LM922-312 2-ply 1/16"	LM922-822 2-ply 1/16"	LM922-842 2-ply 1/16"	LM912-402 2-ply 1/32" LM922-402 2-ply 1/16" LM942-402 2-ply 1/8" LM943-402 3-ply 1/8"	LM922-422 2-ply 1/16"	LM922-407 2-ply 1/16"	LM922-417 2-ply 1/16"
 Gloss Black/ Gold	 Black/ Silver	 Celestial Blue/ Gold	 Harbor Grey/ White	 Port Wine/ Gold*	 Verde/ Gold*	 Deep Bronze/ Black*
LM922-427 2-ply 1/16"	LM922-413 2-ply 1/16"	LM922-577 2-ply 1/16"	LM922-362 2-ply 1/16"	LM922-677 2-ply 1/16"	LM922-937 2-ply 1/16"	LM922-884 2-ply 1/16"
 Brushed Bronze/Black*	 Brushed Bronze/White*	 Brushed Gold/ Black*	 European Gold/ Black*	 Smooth Gold/ Black*	 Br. Aluminum/ Black*	 Brushed Silver/Black*
LM922-874 2-ply 1/16"	LM922-872 2-ply 1/16"	LM912-734 2-ply 1/32" LM922-734 2-ply 1/16" LM942-734 2-ply 1/8"	LM912-754 2-ply 1/32" LM922-754 2-ply 1/16" LM942-754 2-ply 1/8"	LM912-714 2-ply 1/32" LM922-714 2-ply 1/16" LM942-714 2-ply 1/8"	LM912-354 2-ply 1/32" LM922-354 2-ply 1/16" LM942-354 2-ply 1/8"	LM912-334 2-ply 1/32" LM922-334 2-ply 1/16" LM942-334 2-ply 1/8"
 Smooth Silver/ Black*	 Digicam Std. Issue/White	 Digicam Green/ White	 Digicam Desert Storm/Black	 Digicam Pink/ Black	 Digicam Air Force Blue/White	 Digicam Navy/ White
LM912-344 2-ply 1/32" LM922-344 2-ply 1/16" LM942-344 2-ply 1/8"	LM922-982 2-ply 1/16"	LM922-922 2-ply 1/16"	LM922-844 2-ply 1/16"	LM922-694 2-ply 1/16"	LM922-532 2-ply 1/16"	LM922-592 2-ply 1/16"
 Digicam Special Ops/ White	 Casewh/ Dark Brown	 Casewh/ Taupe	 Casewh/ Black	 Toffee/ Ash	 Toffee/ White	 Cinnamon Stick/Ash
LM922-372 2-ply 1/16"	LM922-188 2-ply 1/16"	LM922-138 2-ply 1/16"	LM922-134 2-ply 1/16"	LM922-122 2-ply 1/16"	LM922-112 2-ply 1/16"	LM922-022 2-ply 1/16"

ULTRAGRAVE™ MATTE

UG662-602 2-ply .010" UG602-602 2-ply .020" UG922-602 2-ply 1/16"	UG922-604 2-ply 1/16"	UG922-637 2-ply 1/16"	UG922-862 2-ply 1/16"	UG922-882 2-ply 1/16"	UG922-622 2-ply 1/16"	UG922-627 2-ply 1/16"
UG922-612 2-ply 1/16"	UG922-614 2-ply 1/16"	UG662-704 2-ply .010" UG602-704 2-ply .020" UG922-704 2-ply 1/16"	UG602-932 2-ply .020" UG922-932 2-ply 1/16"	UG922-912 2-ply 1/16"	UG922-992 2-ply 1/16"	UG922-993 2-ply 1/16"
UG922-997 2-ply 1/16"	UG922-942 2-ply 1/16"	UG662-512 2-ply .010" UG602-512 2-ply .020" UG922-512 2-ply 1/16"	UG922-532 2-ply 1/16"	UG922-592 2-ply 1/16"	UG602-597 2-ply .020" UG922-597 2-ply 1/16"	UG922-552 2-ply 1/16"
UG922-557 2-ply 1/16"	UG922-802 2-ply 1/16"	UG922-854 2-ply 1/16"	UG922-832 2-ply 1/16"	UG662-204 2-ply .010" UG602-204 2-ply .020" UG922-204 2-ply 1/16"	UG602-201 2-ply .020" UG922-201 2-ply 1/16"	UG922-206 2-ply 1/16"
UG922-205 2-ply 1/16"	UG922-208 2-ply 1/16"	UG922-822 2-ply 1/16"	UG922-842 2-ply 1/16"	UG922-304 2-ply 1/16"	UG662-402 2-ply .010" UG602-402 2-ply .020" UG922-402 2-ply 1/16"	UG602-401 2-ply .020" UG922-401 2-ply 1/16"
UG922-423 2-ply 1/16"	UG922-417 2-ply 1/16"	UG602-427 2-ply .020"				

ULTRAGRAVE™ SATIN

UG122-602 2-ply 1/16"	UG122-604 2-ply 1/16"	UG122-862 2-ply 1/16"	UG122-882 2-ply 1/16"	UG122-622 2-ply 1/16"	UG122-612 2-ply 1/16"	UG122-614 2-ply 1/16"
UG122-704 2-ply 1/16"	UG122-932 2-ply 1/16"	UG122-912 2-ply 1/16"	UG122-992 2-ply 1/16"	UG122-993 2-ply 1/16"	UG122-942 2-ply 1/16"	UG122-512 2-ply 1/16"
UG122-532 2-ply 1/16"	UG122-592 2-ply 1/16"	UG122-552 2-ply 1/16"	UG122-802 2-ply 1/16"	UG122-854 2-ply 1/16"	UG122-832 2-ply 1/16"	UG122-204 2-ply 1/16"



available



Front Engravable



Reverse Engravable



ADA/Tactile



UV-LED Printable

LASERMARK®

 922-602 2-ply .052"	 922-607 2-ply .052"	 922-704 2-ply .052"	 922-932 2-ply .052"	 922-912 2-ply .052"	 922-502 2-ply .052"	 922-512 2-ply .052"
 922-517 2-ply .052"	 922-552 2-ply .052"	 922-228 2-ply .052"	 922-822 2-ply .052"	 922-842 2-ply .052"	 922-206 2-ply .052"	 922-205 2-ply .052"
 922-204 2-ply .052"	 922-322 2-ply .052"	 922-312 2-ply .052"	 922-402 2-ply .052"	 922-422 2-ply .052"	 922-407 2-ply .052"	 922-417 2-ply .052"
 922-427 2-ply .052"	 922-677 2-ply .052"	 922-937 2-ply .052"	 922-577 2-ply .052"	 922-152 2-ply .052"	 922-002 2-ply .052"	 922-172 2-ply .052"
 922-192 2-ply .052"	 922-714 2-ply .052"	 922-734 2-ply .052"	 922-754 2-ply .052"	 922-354 2-ply .052"	 922-334 2-ply .052"	 922-344 2-ply .052"

TECHNICAL SPECIFICATIONS

* LaserMark metals are available with NoMark® Plus finish by adding "0+" to the end of the item code.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 49" // 613mm x 1245mm
Port Wine*

23-1/2" x 49" // 597mm x 1245mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Personal identification
Trophies, awards & plaques

Capabilities

Scores
Laser Vector Cuts
Screen Prints
Fine Detail

Saws
Bevels
Hot Stamps
Shears

Drills
Heat Bendable
Bonds

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

FLEXIBRASS® & FLEXICOLOR®

 602-677 2-ply .020"	 602-672 2-ply .020"	 602-937 2-ply .020"	 602-577 2-ply .020"	 602-572 2-ply .020"	 602-363 2-ply .020"	 602-362 2-ply .020"
 602-735 2-ply .020"	 602-874 2-ply .020"	 602-884 2-ply .020"	 602-734 2-ply .020"	 602-754 2-ply .020"	 602-602 2-ply .020"	 602-744 2-ply .020"
 602-512 2-ply .020"	 602-204 2-ply .020"	 602-402 2-ply .020"	 602-417 2-ply .020"	 602-427 2-ply .020"	 602-413 2-ply .020"	 602-423 2-ply .020"
 602-354 2-ply .020"	 602-334 2-ply .020"	 602-794 2-ply .020"	 602-394 2-ply .020"			

ADA ALTERNATIVE® Substrate & Appliqué



Red	Burgundy	Bordeaux	Passion Pink	Canyon	Orange	Yellow
311-601 1-ply 1/32" 321-601 1-ply 1/16" 341-601 1-ply 1/8"	311-602 1-ply 1/32" 321-602 1-ply 1/16" 341-602 1-ply 1/8"	311-671 1-ply 1/32" 321-671 1-ply 1/16" 341-671 1-ply 1/8"	311-661 1-ply 1/32" 321-661 1-ply 1/16" 341-661 1-ply 1/8"	311-823 1-ply 1/32" 321-823 1-ply 1/16" 341-823 1-ply 1/8"	311-603 1-ply 1/32" 321-603 1-ply 1/16" 341-603 1-ply 1/8"	311-701 1-ply 1/32" 321-701 1-ply 1/16" 341-701 1-ply 1/8"
Grass Green	Bright Green	Pine Green	Teal	Black Forest Green	Bahama Blue	Maui Blue
311-905 1-ply 1/32" 321-905 1-ply 1/16" 341-905 1-ply 1/8"	311-901 1-ply 1/32" 321-901 1-ply 1/16" 341-901 1-ply 1/8"	311-902 1-ply 1/32" 321-902 1-ply 1/16" 341-902 1-ply 1/8"	311-921 1-ply 1/32" 321-921 1-ply 1/16" 341-921 1-ply 1/8"	311-903 1-ply 1/32" 321-903 1-ply 1/16" 341-903 1-ply 1/8"	311-509 1-ply 1/32" 321-509 1-ply 1/16" 341-509 1-ply 1/8"	311-507 1-ply 1/32" 321-507 1-ply 1/16" 341-507 1-ply 1/8"
China Blue	Blue	Air Force Blue	Marine Blue	Antique Ivory	Sand	Ash
311-302 1-ply 1/32" 321-302 1-ply 1/16" 341-302 1-ply 1/8"	311-501 1-ply 1/32" 321-501 1-ply 1/16" 341-501 1-ply 1/8"	311-504 1-ply 1/32" 321-504 1-ply 1/16" 341-504 1-ply 1/8"	311-502 1-ply 1/32" 321-502 1-ply 1/16" 341-502 1-ply 1/8"	311-801 1-ply 1/32" 321-801 1-ply 1/16" 341-801 1-ply 1/8"	311-808 1-ply 1/32" 321-808 1-ply 1/16" 341-808 1-ply 1/8"	311-214 1-ply 1/32" 321-214 1-ply 1/16" 341-214 1-ply 1/8"
Parchment	Sandalwood	White	Bright White	Light Grey	Pearl Grey	Driftwood
311-811 1-ply 1/32" 321-811 1-ply 1/16" 341-811 1-ply 1/8"	311-218 1-ply 1/32" 321-218 1-ply 1/16" 341-218 1-ply 1/8"	311-201 1-ply 1/32" 321-201 1-ply 1/16" 341-201 1-ply 1/8" 391-201 1-ply 1mm	311-204 1-ply 1/32" 321-204 1-ply 1/16" 341-204 1-ply 1/8" 391-204 1-ply 1mm	311-305 1-ply 1/32" 321-305 1-ply 1/16" 341-305 1-ply 1/8"	311-306 1-ply 1/32" 321-306 1-ply 1/16" 341-306 1-ply 1/8"	311-595 1-ply 1/32" 321-595 1-ply 1/16" 341-595 1-ply 1/8"
Grey	Silver Grey	Charcoal Grey	Cinder	Beige	Candlewick	Taupe
311-301 1-ply 1/32" 321-301 1-ply 1/16" 341-301 1-ply 1/8"	311-308 1-ply 1/32" 321-308 1-ply 1/16" 341-308 1-ply 1/8"	311-307 1-ply 1/32" 321-307 1-ply 1/16" 341-307 1-ply 1/8"	311-413 1-ply 1/32" 321-413 1-ply 1/16" 341-413 1-ply 1/8" 391-413 1-ply 1mm	311-831 1-ply 1/32" 321-831 1-ply 1/16" 341-831 1-ply 1/8"	311-805 1-ply 1/32" 321-805 1-ply 1/16" 341-805 1-ply 1/8"	311-802 1-ply 1/32" 321-802 1-ply 1/16" 341-802 1-ply 1/8"
Dark Brown	Med. Brown	Black	Copper	Deep Bronze	Gold	Silver
311-803 1-ply 1/32" 321-803 1-ply 1/16" 341-803 1-ply 1/8"	311-821 1-ply 1/32" 321-821 1-ply 1/16" 341-821 1-ply 1/8"	311-401 1-ply 1/32" 321-401 1-ply 1/16" 341-401 1-ply 1/8" 391-401 1-ply 1mm	311-891 1-ply 1/32" 321-891 1-ply 1/16" 341-891 1-ply 1/8"	311-871 1-ply 1/32" 321-871 1-ply 1/16" 341-871 1-ply 1/8"	311-771 1-ply 1/32" 321-771 1-ply 1/16" 341-771 1-ply 1/8"	311-304 1-ply 1/32" 321-304 1-ply 1/16" 341-304 1-ply 1/8"
Graphite	Clear					
311-398 1-ply 1/32" 321-398 1-ply 1/16" 341-398 1-ply 1/8"	311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"					

TECHNICAL SPECIFICATIONS

Available with or without adhesive. To order with adhesive, add an "8" to the end of the six digit code.

Material

Single-ply modified acrylic

Finish

Matte non-glare

Sheet Size

24-1/8" x 48-3/4" //
613mm x 1238mm

Cutting 1/32" Tactile Letters

1/4" round & .020" tip at
20°-25° angle

Usage

Interior signage
Exterior signage
Tactile signage
Applique

Capabilities

Scores
Shears
Heat Bendable
Bonds
Thermal Prints
Saws
Laser Vector Cuts
Screen Prints
UV Stable

Drills

Bevels
Hot Stamps
Braille-engravable



LM922-222 2-ply 1/16"



LM922-082 2-ply 1/16"



LM922-012 2-ply 1/16"

TECHNICAL SPECIFICATIONS

*Some LaserMax® foils are not recommended for applications in which UV stability is a requirement.

*LaserMax® metals are available with NoMark® Plus finish by adding "0+" to the end of the item code.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm
Port Wine™
23-1/2" x 48-3/4" // 597mm x 1238mm
Kona/Ash & Kona/White*
23-5/8" x 48-3/4" // 600mm x 1238mm

Engraving Depth

.003" // 0.08mm

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

Usage


Interior signage
Exterior signage
Personal identification
Trophies, awards & plaques

Capabilities


Scores
Shears
Heat Bendable Bonds
Saws
Laser Vector Cuts
Screen Prints
Fine Detail

Drills
Bevels
Hot Stamps
UV Stable

METALGRAPH PLUS®

MP912-314 2-ply 1/32"
MP922-314 2-ply 1/16"
MP942-314 2-ply 1/8"MP912-864 2-ply 1/32"
MP922-864 2-ply 1/16"
MP942-864 2-ply 1/8"MP912-764 2-ply 1/32"
MP922-764 2-ply 1/16"
MP942-764 2-ply 1/8"MP912-364 2-ply 1/32"
MP922-364 2-ply 1/16"
MP942-364 2-ply 1/8"MP912-316 2-ply 1/32"
MP922-316 2-ply 1/16"
MP942-316 2-ply 1/8"MP912-315 2-ply 1/32"
MP922-315 2-ply 1/16"
MP942-315 2-ply 1/8"MP912-766 2-ply 1/32"
MP922-766 2-ply 1/16"
MP942-766 2-ply 1/8"MP912-765 2-ply 1/32"
MP922-765 2-ply 1/16"
MP942-765 2-ply 1/8"MP922-767 2-ply 1/16"
MP942-767 2-ply 1/8"MP922-313 2-ply 1/16"
MP942-313 2-ply 1/8"


MP822-864 2-ply 1/16"



MP822-764 2-ply 1/16"



MP822-767 2-ply 1/16"



MP822-364 2-ply 1/16"



MP822-313 2-ply 1/16"

TECHNICAL SPECIFICATIONS

Material

Microsurfaced impact acrylic

Finish

Brushed metal
Textured

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Exterior signage
Personal identification
Trophies, awards & plaques

Capabilities

Scores
Shears
Heat Bendable Bonds
Thermal Prints
Saws
Laser Vector Cuts
Screen Prints
Fine Detail

Drills
Bevels
Hot Stamps
UV Stable

LASERMAG



LM63-1224 12"x24"sheet



LM65-1224 12"x24"sheet



LM64-1224 12"x24"sheet

TECHNICAL SPECIFICATIONS

Material

Microsurfaced flexible magnetic material

Finish

Brushed metal
Gloss ■

Sheet Size

10 pack: 12" x 24" sheets

Engraving Depth

.004" // .10mm

Not recommended for rotary engraving

Gauge

.020" // .5mm

◆ Not recommended for harsh or high humidity indoor or outdoor applications.


Usage

Promotional magnets
Repositionable nameplates

Capabilities

Scores
Fine Detail
Sandblasts
Shears
UV Stable

Laser Vector Cuts
Thermal Prints



UG122-206 2-ply 1/16"

TECHNICAL SPECIFICATIONS

Available with or without adhesive. To order with adhesive, add an "9" to the end of the six digit code.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm
Port Wine**
23-1/2" x 48-3/4" // 597mm x 1245mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Trophies, awards & plaques

Capabilities

Scores
Bevels
Screen Prints
Thermal Prints

Drills
Heat Bendable
Hot Stamps

Shears
Laser Vector Cuts
Fine Detail

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

LASERLIGHTS

Yellow/ Black

S68-1224 12"x24"sheet

Black/ White

S61-1224 12"x24"sheet

White/ Black

S62-1224 12"x24"sheet
S62-1205 12"x50' rolls

Brushed Silver/Black

S63-1224 12"x24"sheet
S63-1205 12"x50' rolls

Black/ Gold

S65-1224 12"x24"sheet
S65-1205 12"x50' rolls

Brushed Bronze/Black

S69-1224 12"x24"sheet

Smooth Silver/Black

S73-1224 12"x24"sheet

Black/ Silver

S75-1224 12"x24"sheet
S75-1205 12"x50' rolls

White/ Gold

S26-1224 12"x24"sheet

Smooth Gold/ Black

S74-1224 12"x24"sheet
◆ ■

Brushed Brass/Black

S64-1224 12"x24"sheet
S64-1205 12"x50' rolls
◆



TECHNICAL SPECIFICATIONS

Material

Microsurfaced pre-adhesive plastic
(Backed with a .001" (0.03mm) acrylic
pressure sensitive adhesive)

Finish

Brushed metal
Gloss ■

Sheet Size

10 pack: 12"x 24" sheets
12" x 50' rolls

Engraving Depth

.002" // .05mm

Gauge

.004" // .10mm

Usage

Interior signage
Exterior signage
Personal identification
Industrial
Automotive & electronic labeling
Recreational applications

Capabilities

Scores
Laser Vector Cuts
UV Stable

Drills
Bonds
Thermal Prints

Shears
Fine Detail
Sandblasts

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

REVERSE LASERMARK®

Matte/ Red

922-601 2-ply 1/16"

Matte/ Burgundy

922-621 2-ply 1/16"

Matte/ Ribbon Pink

922-661 2-ply 1/16"

Matte/ Yellow

922-701 2-ply 1/16"

Matte/ Bright Green

922-931 2-ply 1/16"

Matte/ Blue

922-511 2-ply 1/16"

Matte/ Navy Blue

922-551 2-ply 1/16"

Matte/ White

922-201 2-ply 1/16"

Matte/ Ivory

922-221 2-ply 1/16"

Matte/ Dark Brown

922-841 2-ply 1/16"

Matte/ Black

922-401 2-ply 1/16"

Matte/ Smooth Gold*

922-711 2-ply 1/16"

Gloss/ Smooth Gold*

922-710 2-ply 1/8"

Matte/ Smooth Silver*

922-341 2-ply 1/16"

Gloss/Smooth Silver*

922-340 2-ply 1/16"
942-340 2-ply 1/8"

Matte/ Clear

311-101 1-ply 1/32"
322-101 1-ply 1/16"
342-101 1-ply 1/8"

Clear/ Clear

411-100 1-ply 1/32"
422-100 1-ply 1/16"
442-100 1-ply 1/8"



TECHNICAL SPECIFICATIONS

Some LaserMark® Reverse foils are not recommended for applications in which UV stability is a requirement.

Material

Microsurfaced impact acrylic for
reverse engraving

Finish

Matte non-glare
Gloss ■

Sheet Size

24-1/8" x 48-3/4" //
613mm x 1238mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Exterior signage
Personal identification
Tactile signage

Capabilities

Scores
Laser Vector Cuts
Screen Prints
Fine Detail
Back-lighting

Saws
Bevels
Hot Stamps
UV Stable
Shears

Drills
Heat Bendable
Bonds
Paintfill
Thermal Prints

THE VARSITY COLLECTION



Crimson/ White	Crimson/ Yellow	Crimson/ Black*	Claret/ White	Tangerine/ White	Vibrant Orange/Black*	Canary/ Crimson*
LM922-602 2-ply 1/16"	LM922-607 2-ply 1/16"	LM922-604 2-ply 1/16"	LM922-622 2-ply 1/16"	LM922-612 2-ply 1/16"	LM922-624 2-ply 1/16"	LM922-706 2-ply 1/16"
Canary/ Black	Yellow/ Sky Blue*	Kelley Green/ White	Kelley Green/ Black*	Sky Blue/ White	Sky Blue/ Yellow	Patriot Blue/ White
LM922-704 2-ply 1/16"	LM922-705 2-ply 1/16"	LM922-932 2-ply 1/16"	LM922-934 2-ply 1/16"	LM922-512 2-ply 1/16"	LM922-517 2-ply 1/16"	LM922-552 2-ply 1/16"
Patriot Blue/ Gold*	Purple/ White	White/ Crimson	White/ Sky Blue	White/ Patriot Blue*	White/ Black	Black/ White
LM922-527 2-ply 1/16"	LM922-582 2-ply 1/16"	LM922-206 2-ply 1/16"	LM922-205 2-ply 1/16"	LM922-255 2-ply 1/16"	LM922-204 2-ply 1/16"	LM922-402 2-ply 1/16"
Black/ Red*	Black/ Yellow	Black/ Silver	Black/ Gold			
LM922-406 2-ply 1/16"	LM922-407 2-ply 1/16"	LM922-413 2-ply 1/16"	LM922-417 2-ply 1/16"			

TECHNICAL SPECIFICATIONS

*These items are not available as standard products in the LaserMax® product line, and are handled as custom orders, which require a "2" sheet minimum.

Material	Sheet Size	Usage	Capabilities
Microsurfaced impact acrylic	24-1/8" x 48-3/4" // 613mm x 1238mm	Interior signage Exterior signage Personal identification Trophies, awards & plaques	Scores Laser Vector Cuts Screen Prints Fine Detail
Finish	Engraving Depth .003" // .08mm		Saws Bevels Hot Stamps UV Stable

LASERGLOW®

Glow with Adhesive	Glow ADA Compliant	Glow Reverse Engravable	Glow/ Safety Red*	Glow/ Safety Green*	Glow/ Safety Blue*	Glow/ Safety Black*
LG302-911 1-ply .020"	LG311-911 1-ply 1/32" LG321-911 1-ply 1/16" LG341-911 1-ply 1/8"	LG322-911 2-ply .050"	LG322-916 2-ply .050"	LG322-919 2-ply .050"	LG322-915 2-ply .050"	LG322-914 2-ply .050"

TECHNICAL SPECIFICATIONS

*For best results, it is recommended to rotary engrave these select products.

Material	Sheet Size	Usage	Capabilities
Modified impact acrylic for appliqué, tactile signage, front or reverse engraving	24-1/8" x 48-3/4" // 613mm x 1238mm	Interior signage Exterior signage Safety signage Tactile/Appliqué signage Exit/Egress signage Industrial tags MEA certified MEA# 203-08-M	Saws Laser Vector Cuts Screen Prints UV Stable Braille-engravable
Finish	Engraving Depth .022" // .56mm(Reverse only) .025" // .64mm		Drills Bevels Hot Stamps Paintfill Thermal Prints



Rowmark recommends the products identified for UV-LED Printing.

Rowmark recommends using an adhesion promoter for best results when UV-LED printing select products. Rowmark does not recommend an adhesion promoter for the Hardwood Collection. ColorHuesEFX is not recommended for UV/Print applications.



Rowmark recommends the products identified for ADA/Tactile projects.

ColorHuesEFX is not recommended for ADA/Tactile. Matte product lines are specifically designed by Rowmark to comply with the Americans with Disabilities Act (ADA) Federal regulations for tactile signage.



CORPORATE HEADQUARTERS

PO Box 1605
5409 Hamlet Drive
Findlay, Ohio 45840-1605 USA
inquiries@rowmark.com

EUROPE OFFICE/WAREHOUSE

Schaarbeekstraat 44
9120 Beveren-Waas
Belgium
+32 (0)3 870 41 10
emea@rowmark.com

TECHNICAL SUPPORT

877.769.6275 // 419.425.8974
techhelp@rowmark.com

CUSTOM REQUESTS

800.243.3339 // 419.425.2407
customerservice@rowmark.com

LATIN AMERICA & TECHNICAL SUPPORT

+55 11 97530-6575 // latinamerica@rowmark.com

AUSTRALIA & TECHNICAL SUPPORT

Unit 10/167 Prospect Hwy,
Seven Hills NSW 2147
1300 023 370
sales@rowmark.com.au

877.rowmark / rowmark.com



Engage. Interact. Share.



TERMS & CONDITIONS OF SALE

Rowmark's warranty is limited to replacement of product only, and such warranty does not extend to the costs of any repeat labor or incidental costs. **LIMITED WARRANTY, WARRANTY DISCLAIMERS AND LIMITATIONS OF REMEDIES AND LIABILITIES:** Except as set forth above, Seller makes NO OTHER WARRANTIES concerning the products whatsoever. SELLER DISCLAIMS AND EXCLUDES ALL OTHER EXPRESS WARRANTIES AND ALL IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE concerning the products. In no event will Sellers' liability exceed the paid purchase price of the products. Seller's obligations described in this paragraph shall be Buyer's sole and exclusive remedy against Seller and Seller's Distributors for any liability with respect to the products whether any claim for recovery is based upon or arises out of theories of contract, negligence, tort (including strict liability) or otherwise. Buyer agrees that NO OTHER REMEDY SHALL BE AVAILABLE to Buyer and that IN NO EVENT SHALL SELLER BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES, including without limitation loss of income, loss of time, loss of sales, cost of replacement items, or claims asserted by Buyer's customers. A suit based on any cause of action must be commenced within one year from the date of delivery of product.

