

# MSDS Information - Vari-Air, Dust-Pro

## Section 1. CHEMICAL PRODUCT SECTION

**Product Name:** VARI-AIR, DUST-PRO

**Product Numbers:** VP-402, VP-401, VJ-405, VJ-406, VA-403, VR-404,  
DP-503, DP-504, DP-512, DP-612, DP-508, DPK-504

**General Use:** Dusting Aid

**Product Description:** Inert Dusting Gas in metal can.

Peca Products, Inc. For Chemical Emergency, Spill, Leak, Fire

1441 Plainfield Ave. Exposure, or Accident Call CHEMTREC

Janesville, WI 53545 DAY OR NIGHT 1-800-424-9300

PHONE: 608/756-1615

FAX: 608/756-1827

## Section 2. COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL C.A.S. Number Weight %

1,1,1,2-tetrafluoroethane 811-97-2 100

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

Exposure Limits 8 Hours TWA (PPM)

OSHA PEL ACGIH TLV SUPPLIER

1,1,1,2-tetrafluoroethane NIF 1000

## Section 3. HAZARD IDENTIFICATION

Emergency Overview:

Potential Health Effects:

**INHALATION:** Major potential route of exposure. Minimal effects observed below 1,000 ppm. Dizziness, drowsiness, and throat irritation possible at levels above 1,000 ppm.

Unconsciousness and death at levels above 10,000 ppm. Blood pressure depression,

Cardiac sensitization, and ventricular arrhythmia can result from exposure to near-anesthetic levels.

**EYES:** Liquid can cause slight, temporary irritation with slight, temporary corneal injury.

Vapors can irritate eyes.

**SKIN:** Prolonged or repeated contact with liquid can cause freezing of skin tissues, defatting and dermatitis.

**INGESTION:** Single dose toxicity is low to moderate. If vomiting occurs the liquid can be aspirated into the lungs, which can cause chemical pneumonia and systemic effects. Human psychotropic, gastrointestinal and central nervous system effects possible.

#### **Section 4. FIRST AID MEASURES**

**Inhalation:** Move to fresh air in case of accidental inhalation of vapors. If victim has stopped breathing, give artificial respiration. Call for prompt medical attention

**Eye Contact:** Flush eyes with large amounts of water for 15 minutes or until irritation subsides.

If irritation persists, get medical attention

**Skin Contact:** Remove contaminated clothing (including shoes) and wash before reuse. Flush with large amounts of water. Use soap if available. If irritation persists, seek medical attention.

**Ingestion:** Do not induce vomiting unless directed by a physician. If conscious and alert, give two glasses of water. Seek medical attention immediately.

#### **Section 5. FIRE FIGHTING MEASURES**

Flash Point & Method: None, TCC Method

Flammable Limits: LEL: NA UEL: NA

Autoignition Temperature: >750 °C (>1,382 °F)

**GENERAL HAZARD:** Aerosol cans may erupt with force at temperatures above 120 degrees F.

**FIRE FIGHTING INSTRUCTIONS:** Fire fighters should wear self contained, positive-pressure breathing. Apparatus and avoid skin contact.

**FIRE FIGHTING EQUIPMENT:** Water, foam, dry chemical, carbon dioxide.

**HAZARDOUS COMBUSTION PRODUCTS:** Smoke, fumes and oxides of carbon.

## **Section 6. ACCIDENTAL RELEASE MEASURES**

**LAND SPILL:** Evacuate area. Ventilate area well and avoid breathing vapors. Vapor concentration will be highest along floor and in low-lying areas. Pick up liquid on suitable absorbent and store in sealed containers.

## **Section 7. HANDLING AND STORAGE**

**STORAGE TEMPERATURE:** Ambient

**STORAGE PRESSURE:** Atmospheric

**GENERAL:** Keep container closed when not in use. Store in cool, well ventilated place out of direct sunlight and away from incompatible materials. (See STABILITY AND REACTIVITY Section 10.) Follow all MSD Sheet and Label warnings even after container is empty.

## **Section 8. EXPOSURE CONTROL / PERSONAL PROTECTION**

Engineering Controls: (X) Local Exhaust ventilation acceptable.

( ) Mechanical ventilation recommended.

( ) Use explosion-proof ventilation equipment.

( ) Do not use in confined spaces without mechanical ventilation equipment.

See Section 2 for component exposure guidelines.

**Personal Protection:**

**RESPIRATOR:** If concentrations are over the exposure limit and are known, air purifying Respirator with Organic Vapor Cartridges may be acceptable. Refer to cartridges for acceptable levels. If concentrations are over exposure limit and are unknown, use a supplied air respirator.

**HAND PROTECTION:** ( ) Gloves recommended

( ) Solvex ( ) Neoprene

( ) Butyl ( ) Buna

( ) Natural Latex ( ) Cotton/Jersey

**EYE PROTECTION:** (X) Safety Glasses ( ) Chemical Goggles

( ) Full Face Shield

**OTHER RECOMMENDATIONS:**

( ) Rubber Boots ( ) Splash-proof chemical resistant suit/apron

## **Section 9. PHYSICAL AND CHEMICAL PROPERTIES**

Density.....1.202 PH.....7-8

Boiling Point.....-16C/-27F % Volatile.....100

Freezing Point .....NIF % Solids.....0

Vapor Density (Air=1).....3.0 Evaporation Rate (H2O=1).....>1

Solubility in Water.....0 Viscosity.....N/A

Molecular Weight.....N/A Physical State.....LIQUID

Non-Exempt VOC (g/l).....0 Odor.....NIF

Appearance: Clear water-white liquid with low odor.

## **Section 10. STABILITY AND REACTIVITY**

**GENERAL:** STABLE

**INCOMPATIBLE MATERIALS AND CONDITIONS TO AVOID:**

Contact with open flame, heat.

Reactive alkali metals, strong acids & bases.

**HAZARDOUS DECOMPOSITION:**

Hydrogen fluoride, carbon dioxide and carbon monoxide.

**Section 11. TOXICOLOGICAL INFORMATION**

RESULTS OF COMPONENT TOXICITY TEST PERFORMED:

Information not available.

**HUMAN EXPERIENCE:**

Information not available.

**Section 12. ECOLOGICAL INFORMATION**

FURTHER INFORMATION: Information not available.

**Section 13: DISPOSAL CONSIDERATIONS**

RCRA 40 CFR 261 Classification:

Federal, State, and Local laws governing disposal of materials can differ.  
Ensure proper disposal compliance with proper authorities before disposal.

**Section 14. TRANSPORTATION INFORMATION**

**U.S. DOT Information:**

Proper Shipping Name: CONSUMER COMMODITY ORM-D

Hazard Class: N/A

Packaging Group: N/A

UN Number: N/A

**Limitations:** Must make sure that all DIAMOND LABELS, PROPER SHIPPING NAMES, UN NUMBERS and DOT-E-10232 are covered up.  
Must place CONSUMER COMMODITY ORM-D label on top of the box.

IATA:

**Proper Shipping Name:** 1,1,1,2-TETRAFLUOROETHANE

**Hazard Class:** 2.2

**Packaging Group:** N/A

**UN Number:** UN3159

**Limitations:** DOT-E-10232 CARGO AIRCRAFT ONLY

IMO:

Proper Shipping Name: 1,1,1,2-TETRAFLUOROETHANE

Class: 2.2

UN Number: UN3159

Packaging Group: N/A

EMS: 2-09

MFAG: 350

Marine Pollutant: N/A

Canadian TDG: N/A

IMDG Page: 2181

## **Section 15. REGULATORY INFORMATION**

UNITED STATES FEDERAL REGULATIONS:

MSDS complies with OSHA's Hazard Communication Rule, 29 CFR 1910.1200.

CERCLA/SUPERFUND, 40 CFR 117, 302:

None of the chemicals are Superfund Hazards

SARA SUPERFUND AND REAUTHORIZATION ACT OF 1986

TITLE III SECTIONS 302, 311, 312 and 313:

Section 302 – Extremely hazardous substances (40 CFR 355):

None of the chemicals are Section 302 hazards

Section 311/312 – Material Safety Data Sheet Requirements (40 CFR 355)

( ) By our hazard evaluation, this product is non-hazardous.

- I. By our hazard evaluation, this product is hazardous. It should be reported under the following EPA hazard.

(X) Immediate (acute) health hazard

( ) Delayed (chronic) health hazard

( ) Sudden release of pressure hazard

( ) Reactive hazard

Section 313 – List of Toxic Chemicals (40 CFC 372)

This product contains the following chemicals (at levels of 1% or greater), which are

Found on the 313 list of Toxic Chemicals.

None of the chemicals are 313 Toxic Chemicals

TOXIC SUBSTANCE CONTROL ACT (TSCA): All substances are TSCA Listed.

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA 40 CFR 261)  
Subpart C & D:

Refer to Section 11. for RCRA classification.

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT,  
40 CFR 401.15

(FORMERLY SECTION 307), 40 CFR 116 (FORMERLY SECTION 311)

This product contains the following chemicals which are listed:

CHEMICAL C.A.S. NUMBER WEIGHT %

CLEAN AIR ACT: No Information

**STATE REGULATIONS:**

CALIFORNIA PROPOSITION 65:

This product contains the following ingredients which appear in the California proposition 65 list:

CHEMICAL C.A.S. NUMBER WEIGHT %

None of the chemicals are on the Proposition 65 list.

**INTERNATIONAL REGULATIONS:**

CANADA WHIMS: NIF

EUROPE EINECS NUMBERS: Tetrafluoroethane, 811-97-2

Section 16. OTHER INFORMATION

**LABEL INFORMATION:**

European Risk and Safety Phrases: S2, S23, S24/S25, S51

European Symbols Needed: None

Canadian WHIMS Symbols: NIF

NFPA HAZARD RATING:

(0) Fire (1) Health (1) Reactivity

REVISION DATES, SECTIONS, REVISED BY:

15-April-02, CREATED, D. BRAUNER

ABBREVIATIONS USED IN THIS DOCUMENT:

NE – Not Established NA – Not Applicable NIF – No information Found

REFERENCES:

Code of Federal Regulations (CFR)

The Sigma-Aldrich Library of Regulatory and Safety Data

Chemical Guide and OSHA Hazard Communication Standard



## Various Federal, State & Local Regulations

To the best of our knowledge, the information contained herein is accurate. However, neither Peca Products Inc. or any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.