

Page 1 of 6 **BTI-023** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.2

SDS Revision Date: 4/14/2015

		1.	PRODUC	CT & COM	PANY	IDE	NTIF	ICA	TIOI	N				
1.1	Product Name:		E BLACK											
.2	Chemical Name:	Acid Mixture												
.3	Synonyms:		740050, 740051, 740051INT											
.4	Trade Names:		Antique Black® M24											
5	Product Use:		Blackening Solution for Brass & Copper											
.6	Distributor's Name:		boratories LLC											
.7	Distributor's Address:			rie. MN 55344 U	JSA									
.8	Emergency Phone:	ChemTrec	+1 (800) 42	24-9300 / +1	(703) 52	7-38	<b>87</b> or	Pois	on C	ontro	ol Ce	nter	+1 (8	55) 281-174
.9	Business Phone / Fax:		-7900 / +1 (952		(100) 02	., 00	01 01	1 013	011 0	Ontre	<i></i> 00	iiioi	(	100) 201 174
.1	Hazard Identification:	T		AZARDS I s a hazardous										
		DANGER! T MAY CAUSE Hazard State damage. H3: Very toxic to a Precautionary — Avoid relea protection/ fac doctor/physici Remove container to a	COXIC IF SWA E DAMAGE TO ments (H): H3 73 - May causing equatic life with a Statements (F ase to the er ce protection. F ian. P305+P35 act lenses, if p in approved wa	HSC: 1088 (2004) LLOWED. MAY D ORGANS TH 101 - Toxic if si e damage to org i long lasting effe P): P220 - Keep rivironment. P28 P301+P310 - IF 11+P338 IF IN E	CAUSE ROUGH   wallowed. gans throuects. /Store aw 80 - Wea SWALLO EYES: Rin by to do. (	SEVE PROLO H314 ugh pro ay fror r proto NED:	RE SI ONGE - Car olonge m cloth ective Immed utiously	CIN BU D OR Uses s d or re ing/ co gloves iately of y with ing. Po	JRNS REPE severe epeater ombusi s/ prof call a I water 501 -	skin I d expo tible m tective POISC for se Dispos	expourns source.  aterial clothic N CEN veral in	DSUR and e H410 s. P2 ng/ e NTER minute	73 eye or ess.	
		2 0		FIANI O INIC	DEDI				1 A T					
		3. C	OMPOSIT	TION & INC	REDI	ENT	INF	ORN			IMITS IN	AID (m	ng/m³)	
		3. C	OMPOSIT	TION & ING	REDI		INF GIH			SURE L	IMITS IN	AIR (m		
		3. C	OMPOSIT	FION & INC	REDI	AC			EXPO	SURE L	IMITS IN			
JEM	IICAL NAME/S)					AC pr	GIH om	ES-	EXPO NOHSC ppm ES-	SURE L		OSHA ppm		OTHER
	IICAL NAME(S)	CAS No.	RTECS No. ZC0110000	EINECS No. 231-791-2	% 60-100	AC	GIH		EXPO NOHSC ppm	SURE L	TLV	OSHA		OTHER
	. ,	CAS No. 7732-18-5	RTECS No. ZC0110000	EINECS No. 231-791-2	% 60-100	AC pr	GIH om STEL NE	ES- TWA NF	EXPO NOHSC ppm ES- STEL NF	ES- PEAK NF	TLV NE	ppm STEL NE	IDLH NE	OTHER
ATE	. ,	CAS No. 7732-18-5 7664-38-2	RTECS No. ZC0110000	EINECS No. 231-791-2 231-633-2	%	AC pr	GIH om STEL	ES- TWA	EXPO NOHSC ppm ES- STEL	ES- PEAK	TLV	OSHA ppm STEL	IDLH	OTHER
ATE	R PHORIC ACID	CAS No. 7732-18-5 7664-38-2 Metal Corrosio	RTECS No.  ZC0110000  TB6300000 on 1; Skin Corrosion	EINECS No. 231-791-2 231-633-2 1B; H290, H314	% 60-100 7-13	AC PF	GIH om STEL NE (3)	ES- TWA NF	PPM ES- STEL NF	ES- PEAK NF	TLV NE NA	ppm STEL NE	IDLH NE	OTHER
ATE	R	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8	RTECS No.  ZC0110000  TB6300000 on 1; Skin Corrosion VS7175000	EINECS No. 231-791-2 231-633-2	% 60-100 7-13	AC pp	GIH om STEL NE (3)	ES- TWA NF	EXPO NOHSC ppm ES- STEL NF	ES-PEAK NF NF	TLV NE NA	PPM STEL NE NA NA	IDLH NE	OTHER
ATE IOS	R PHORIC ACID	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8 Acute Toxicity- 7758-99-8	RTECS No. ZC0110000  TB6300000 on 1; Skin Corrosion VS7175000 -Inh 3; Acute Toxicit NA	EINECS No. 231-791-2 231-633-2 1B; H290, H314 231-974-7	% 60-100 7-13	AC pp	GIH om STEL NE (3)	ES- TWA NF	EXPO NOHSC ppm ES- STEL NF	ES-PEAK NF NF	TLV NE NA	PPM STEL NE NA NA	IDLH NE	OTHER
ATE IOS	R PHORIC ACID	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8 Acute Toxicity 7758-99-8 Acute Toxicity	RTECS No.  ZC0110000  TB6300000 on 1; Skin Corrosion VS7175000 -Inh 3; Acute Toxicit NA 4; H302	EINECS No. 231-791-2 231-633-2 1B; H290, H314 231-974-7 ty-Oral 3; STOT RE 2;	% 60-100 7-13 1-5 Acute Aquat 1-5	TLV NE (1) (0.2) ic Toxici (1)	GIH om STEL NE (3) NA ty 1; Chri	ES- TWA NF NF (0.2) onic Aqu	PERPONICATION NO N	SURE L  ES- PEAK  NF  NF  NF  NF  NF	TLV NE NA (0.2) 301, H3 (1)	PPM STEL NE NA NA NA NA NA	IDLH   NE   1000   NA   1000	OTHER
ATE HOS ELEI	R PHORIC ACID	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8 Acute Toxicity 7758-99-8 Acute Toxicity 13106-76-8	RTECS No.   ZC0110000    TB6300000   on 1; Skin Corrosion   VS7175000   Inh 3; Acute Toxicit   NA   4; H302   NA	EINECS No. 231-791-2 231-633-2 1B; H290, H314 231-974-7 ty-Oral 3; STOT RE 2;	% 60-100 7-13 1-5 Acute Aqual 1-5	AC   PP   TLV   NE   (1)   (0.2)   (ic Toxici   (1)   (10)	GIH DOM STEL NE (3) NA ty 1; Chri NA	ES- TWA NF NF (0.2) onic Aqu NF	EXPO NOHSC ppm ES- STEL NF NF NF NF Atic Toxi NF	SURE L  ES- PEAK  NF  NF  NF  NF  NF  NF	TLV NE NA (0.2) 301, H3 (1)	PPM STEL NE NA NA NA NA	IDLH NE 1000	OTHER
ATE HOS ELEI JPR	R PHORIC ACID NIOUS ACID IC SULFATE DNIUM MOLYBDATE	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8 Acute Toxicity- 7758-99-8 Acute Toxicity 13106-76-8 Acute Toxicity 7733-02-0	RTECS No.  ZC0110000  TB6300000 on 1; Skin Corrosion VS7175000 -Inh 3; Acute Toxicit NA 4; H302 NA 4; Skin Irritation 2; QR9600000	EINECS No.  231-791-2  231-633-2  1B; H290, H314  231-974-7  y-Oral 3; STOT RE 2;  NA  236-031-3  Eye Irritation 2; Specification 2; Specifica	% 60-100 7-13 1-5; Acute Aquat 1-5 1-5 fic Target Org	TLV NE (1) (0.2) cic Toxici (1) (10) can Toxici (0.1)	GIH  STEL  NE  (3)  NA ty 1; Chr  NA  NA  NA  NA  NA  NA  NA  NA  NA  N	ES- TWA NF NF (0.2) onic Aqu NF NF e Exposi	EXPO NOHSC ppm ES- STEL NF NF NF Atic Toxi NF NF ure 3; H3	SURE L  ES- PEAK  NF  NF  NF  NF  NF  NF  NF  NF  NF	TLV NE NA (0.2) (301, H3 (1) NA 5, H319, (1)	NA NA NA H335	IDLH   NE   1000   NA   1000   NA	OTHER
ATE HOS ELEI JPR	PHORIC ACID NIOUS ACID IC SULFATE	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8 Acute Toxicity- 7758-99-8 Acute Toxicity 13106-76-8 Acute Toxicity 7733-02-0	RTECS No.  ZC0110000  TB6300000 on 1; Skin Corrosion VS7175000 -Inh 3; Acute Toxicit NA 4; H302 NA 4; Skin Irritation 2; QR9600000	EINECS No.  231-791-2  231-633-2  1B; H290, H314  231-974-7  ty-Oral 3; STOT RE 2;  NA  236-031-3  Eye Irritation 2; Specif	% 60-100 7-13 1-5; Acute Aquat 1-5 1-5 fic Target Org	TLV NE (1) (0.2) cic Toxici (1) (10) can Toxici (0.1)	GIH  STEL  NE  (3)  NA ty 1; Chr  NA  NA  NA  NA  NA  NA  NA  NA  NA  N	ES- TWA NF NF (0.2) onic Aqu NF NF e Exposi	EXPO NOHSC ppm ES- STEL NF NF NF Atic Toxi NF NF ure 3; H3	SURE L  ES- PEAK  NF  NF  NF  NF  NF  NF  NF  NF  NF	TLV NE NA (0.2) (301, H3 (1) NA 5, H319, (1)	NA NA NA H335	IDLH   NE   1000   NA   1000   NA	OTHER
ATE HOS ELEI JPR	R PHORIC ACID NIOUS ACID IC SULFATE DNIUM MOLYBDATE	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8 Acute Toxicity- 7758-99-8 Acute Toxicity 13106-76-8 Acute Toxicity 7733-02-0	RTECS No.  ZC0110000  TB6300000 on 1; Skin Corrosion VS7175000 -Inh 3; Acute Toxicit NA 4; H302 NA 4; Skin Irritation 2; I QR9600000 4; Eye Damage 1; I	EINECS No.  231-791-2  231-633-2  1B; H290, H314  231-974-7  ty-Oral 3; STOT RE 2;  NA  236-031-3  Eye Irritation 2; Specif  232-104-9  Acute Aquatic Toxicity	% 60-100  7-13  1-5 Acute Aquat 1-5  1-5 fic Target Org	TLV NE (1) (0.2) ic Toxici (1) (10) an Toxici (0.1) quatic T	GIH om STEL NE (3) NA ty 1; Chn NA NA city-Singl NA oxicity 1;	ES- TWA NF NF (0.2) onic Aqu NF NF e Exposi	EXPO NOHSC ppm ES- STEL NF NF NF Atic Toxi NF NF ure 3; H3	SURE L  ES- PEAK  NF  NF  NF  NF  NF  NF  NF  NF  NF	TLV NE NA (0.2) (301, H3 (1) NA 5, H319, (1)	NA NA NA H335	IDLH   NE   1000   NA   1000   NA	OTHER
ATE HOS ELEI JPR MMC	R PHORIC ACID NIOUS ACID IC SULFATE DNIUM MOLYBDATE SULFATE	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8 Acute Toxicity 7758-99-8 Acute Toxicity 13106-76-8 Acute Toxicity 7733-02-0 Acute Toxicity	RTECS No.  ZC0110000  TB6300000  n 1; Skin Corrosion  VS7175000  -Inh 3; Acute Toxicit  NA  4; H302  NA  4; Skin Irritation 2; I  QR9600000  4; Eye Damage 1; A	EINECS No.  231-791-2  231-633-2  1B; H290, H314  231-974-7  ty-Oral 3; STOT RE 2;  NA  236-031-3  Eye Irritation 2; Specif  232-104-9  Acute Aquatic Toxicity  FIRST All	% 60-100  7-13  1-5; Acute Aquat 1-5  1-5 fic Target Org 0.1-1 /1; Chronic A	AC PITLV NE (1) (0.2) itic Toxici (1) (10) gan Toxici (0.1) equatic Toxici	GIH om STEL NE (3) NA ty 1; Chn NA NA ity-Singl NA oxicity 1;	ES- TWA NF (0.2) onic Aqu NF NF e Expost NF H302, H	EXPO NOHSC ppm ES- STEL NF NF atic Toxi NF NF STEL NF ATIC TOXI NF STEL NF ATIC TOXI NF ATIC TOX	ES-PEAK NF NF OITH 1); H NF	TLV NE NA (0.2) (301, H3 (1) NA 5, H319, (1)	NA NA NA H335 NA	IDLH   NE	
ATE HOS ELEI JPR MMC	R PHORIC ACID NIOUS ACID IC SULFATE DNIUM MOLYBDATE	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8 Acute Toxicity- 7758-99-8 Acute Toxicity 13106-76-8 Acute Toxicity 7733-02-0	RTECS No.    ZC0110000    TB6300000   on 1; Skin Corrosion   VS7175000 -Inh 3; Acute Toxicit   NA   4; H302   NA   4; Skin Irritation 2;     QR9600000   4; Eye Damage 1; A	EINECS No.  231-791-2  231-633-2  1B; H290, H314  231-974-7  cy-Oral 3; STOT RE 2;  NA  236-031-3  Eye Irritation 2; Specif  232-104-9  Acute Aquatic Toxicity  FIRST All  ce vomiting. Call	% 60-100  7-13  1-5 Acute Aquat 1-5  1-5 fic Target Org 0.1-1 r1; Chronic A	TLV NE (1) (0.2) ic Toxici (1) (10) jan Toxici (0.1) quatic T	GIH om STEL NE (3) NA ty 1; Chn NA INA ity-Singl NA oxicity 1;	ES- TWA NF NF (0.2) onic Aqu NF NF e Exposi NF H302, H	EXPO NOHSC ppm ES- STEL NF NF atic Toxi NF NF atic Tixi NF ure 3; H3 NF 1318, H4	ES-PEAK NF NF OITH 1); H NF	TLV NE NA (0.2) (301, H3 (1) NA 5, H319, (1) ccal ad	NA N	IDLH NE 1000 NA NA NA	iting occurs, ke
ATE HOS ELEI JPR MMC	R PHORIC ACID NIOUS ACID IC SULFATE DNIUM MOLYBDATE SULFATE	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8 Acute Toxicity 7758-99-8 Acute Toxicity 13106-76-8 Acute Toxicity 7733-02-0 Acute Toxicity	RTECS No.    ZC0110000     TB6300000     TB6300000     NS7175000     NS     NA     4; H302     NA     GR9600000     4; Eye Damage 1; A  Do not induction in the control of	EINECS No.    231-791-2     231-633-2     18; H290, H314     231-974-7     2y-Oral 3; STOT RE 2;     NA     236-031-3     Eye Irritation 2; Specif     232-104-9     Acute Aquatic Toxicity     FIRST All     24   25     25   26     26   27     27   27     28   28     29   29     20   20   20     20   20   20     21   20   20     22   20   20     23   20   20     24   20   20     25   20   20     26   20   20     27   20   20     28   20   20     29   20   20     20   20   20     20   20	% 60-100  7-13  1-5 Acute Aquat 1-5  1-5 fic Target Org 0.1-1 1; Chronic A  D MEA 1+1 (855) ard) to kee	TLV NE (1) (0.2) ic Toxici (1) (10) jan Toxici (0.1) quatic T	GIH om STEL NE (3) NA ty 1; Chn NA INA ity-Singl NA oxicity 1;	ES- TWA NF NF (0.2) onic Aqu NF NF e Exposi NF H302, H	EXPO NOHSC ppm ES- STEL NF NF atic Toxi NF NF atic Tixi NF ure 3; H3 NF 1318, H4	ES-PEAK NF NF OITH 1); H NF	TLV NE NA (0.2) (301, H3 (1) NA 5, H319, (1) ccal ad	NA N	IDLH NE 1000 NA NA NA	iting occurs, ke
IOS ILEI IJPR	R PHORIC ACID NIOUS ACID IC SULFATE DNIUM MOLYBDATE SULFATE	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8 Acute Toxicity 7758-99-8 Acute Toxicity 13106-76-8 Acute Toxicity 7733-02-0 Acute Toxicity	RTECS No.  ZC0110000  TB6300000 on 1; Skin Corrosion VS7175000 -Inh 3; Acute Toxicit NA 4; H302 NA 4; Skin Irritation 2; QR9600000 4; Eye Damage 1; A  Do not induction on the contraction of the contracti	EINECS No.    231-791-2     231-633-2     18; H290, H314     231-974-7     27-0ral 3; STOT RE 2;     NA     236-031-3     Eye Irritation 2; Specif     232-104-9     Acute Aquatic Toxicity     FIRST All     24   25     25   26     26   27     27   27     28   27     29   27     20   27     20   27     21   27     22   27     23   27     24   27     25   27     26   27     27   27     28   27     29   27     20   27     21   27     22   27     23   27     24   27     25   27     26   27     27   27     28   27     29   27     20   27     20   27     20   27     21   27     22   27     23   27     24   27     25   27     26   27     27   27     28   27     29   27     20   27     20   27     20   27     20   27     20   27     21   27     22   27     23   27     24   27     25   27     26   27     27   27     27   27     28     29   27     20   27     20   27     20   27     20   27     20   27     20   27     20   27     20   27     20   27     20   27     20   27     20   27     21     21   27     22   27     23   27     24     25   27     25     26   27     27     28     29   27     20   27	% 60-100  7-13  1-5 Acute Aquat 1-5  1-5 fic Target Org 0.1-1 1; Chronic A  D MEA 1+1 (855) ard) to kerted.	TLV NE (1) (1) (10) (10) (10) (10) (11) (11) (	GIH om STEL NE (3) NA ty 1; Chri NA NA city-Singl NA oxicity 1;	ES- TWA NF  NF  (0.2) onic Aqu NF  NF  E Exposic NF  H302, H	EXPO NOHSC ppm ES- STEL NF NF atic Toxi NF NF STEL NF atic Toxi NF STEL NF atic Toxi NF TOXI NF TOXI NF TOXI NF TOXI NF TOXI TOXI TOXI TOXI TOXI TOXI TOXI TOXI	ES-PEAK NF NF NF City 1); H NF NF NF OO, H410 / mediale lung	TLV NE NA (0.2) 301, H3 (1) NA 5, H319, (1) cal ad	OSHA ppm STEL NE NA NA NA H331 NA H335 NA	IDLH NE 1000 NA NA NA	iting occurs, kenergency media
IOS ILEI IJPR	R PHORIC ACID NIOUS ACID IC SULFATE DNIUM MOLYBDATE SULFATE	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8 Acute Toxicity 7758-99-8 Acute Toxicity 13106-76-8 Acute Toxicity 7733-02-0 Acute Toxicity	RTECS No.  ZC0110000  TB6300000 on 1; Skin Corrosion VS7175000 -Inh 3; Acute Toxicit NA 4; H302 NA 4; Skin Irritation 2; QR9600000 4; Eye Damage 1; // Do not induction victim's head transport if all Remove and	EINECS No.    231-791-2     231-633-2     18; H290, H314     231-974-7     236-031-3     Eye Irritation 2; Specif     232-104-9     Acute Aquatic Toxicity     Call of lowered (forwarny symptoms no lidiscard contact	% 60-100  7-13  1-5 Acute Aquat 1-5  1-5 fic Target Org 0.1-1 1; Chronic A  D MEA 1+1 (855) ard) to kerted. tt lenses i	TLV NE (1) (1) (0.2) cic Toxici (1) (10) can Toxici (0.1) quatic T.  ASUI 281-1 ep von	GIH om STEL NE (3) NA ty 1; Chr NA NA city-Singl NA oxicity 1; RES 742 fc	ES-TWA NF  NF  (0.2) onic Aqu NF  NF  Exposic NF H302, H	NF NF NF Atic Toxi NF NF STEL NF ATIC Toxi N	ES-PEAK NF NF NF Sity 1); H NF NF OO, H410  / mediale lung	TLV NE NA (0.2) 301, H3 (1) NA 5, H319, (1) cal ad	OSHA ppm STEL NE NA NA NA H331 NA H335 NA	IDLH NE 1000 NA NA NA	iting occurs, ke
ATE HOS ELEI JPR MMC	R PHORIC ACID NIOUS ACID IC SULFATE DNIUM MOLYBDATE SULFATE	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8 Acute Toxicity 7758-99-8 Acute Toxicity 13106-76-8 Acute Toxicity 7733-02-0 Acute Toxicity  Ingestion:  Eyes:	RTECS No.  ZC0110000  TB6300000 on 1; Skin Corrosion VS7175000 Inh 3; Acute Toxicit NA 4; H302 NA 4; Skin Irritation 2; QR9600000 4; Eye Damage 1; A  Do not induction on the contraction of the contractio	EINECS No.  231-791-2  231-633-2  1B; H290, H314  231-974-7  2y-Oral 3; STOT RE 2;  NA  236-031-3  Eye Irritation 2; Specif  232-104-9  Acute Aquatic Toxicity  FIRST All  the vomiting. Call d lowered (forward of the second of	% 60-100  7-13  1-5 Acute Aquat 1-5  1-5 fic Target Org 0.1-1 1; Chronic A  D MEA 1+1 (855) ard) to kerted. tt lenses indical atter	TLV NE (1) (1) (10) (10) (10) (11) (10) (11) (11	GIH om STEL NE (3) NA ty 1; Chri NA NA city-Singl NA oxicity 1; T42 fc nit fror	ES-TWA NF  NF  (0.2) onic Aqu NF  NF  Exposic NF H302, H	NF NF NF atic Toxi NF NF STEL NF NF atic Toxi NF Ure 3; H3 NF 318, H4 regency ring the	SURE L  ES- PEAK  NF  NF  NF  NF  NF  OO, H410  / mediae lung  th largyes.	NA (0.2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	OSHA ppm STEL NE NA NA NA NA H335 NA VICE. I 911	IDLH NE 1000 NA 1000 NA NA NA Of vom	iting occurs, kenergency medicer for at least
ATE HOS ELEI JPR MMC	R PHORIC ACID NIOUS ACID IC SULFATE DNIUM MOLYBDATE SULFATE	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8 Acute Toxicity 7758-99-8 Acute Toxicity 13106-76-8 Acute Toxicity 7733-02-0 Acute Toxicity	RTECS No.  ZC0110000  TB6300000 on 1; Skin Corrosion VS7175000 -Inh 3; Acute Toxicit NA 4; H302 NA 4; Skin Irritation 2; QR9600000 4; Eye Damage 1; // Do not induc victim's heact transport if al Remove and minutes. See Remove cor	EINECS No.  231-791-2  231-633-2  1B; H290, H314  231-974-7  2y-Oral 3; STOT RE 2;  NA  236-031-3  Eye Irritation 2; Specific 232-104-9  Acute Aquatic Toxicity  FIRST All  is e vomiting. Call of lowered (forward symptoms now any symptoms now an	% 60-100  7-13  1-5 Acute Aquat 1-5  1-5 fic Target Org 0.1-1 1; Chronic A  D MEA 1+1 (855) ard) to kerted. at lenses indical attering and with the second of the second o	AC PITLV NE (1) (1) (0.2) cic Toxici (1) (10) can Toxici (0.1) quatic Toxici 281-1 ep von f worn ntion w	GIH om STEL NE (3) NA ty 1; Chn NA NA city-Singl NA oxicity 1; 742 fc nit fror and fi	PS-TWA NF NF (0.2) Onic Aqu NF NF E Expose NF H302, H Or eme	NF NF NF Atic Toxi NF NF STEL NF NF Atic Toxi NF STEL NF WF Atic Toxi NF Ure 3; H3 NF STEL STEL STEL STEL STEL STEL STEL STEL	SURE L  ES- PEAK  NF  NF  NF  OO, H410  / media e lung  th largyes.  large	NA (0.2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	OSHA ppm STEL NE NA NA NA NA H335 NA VICE. I 911	IDLH NE 1000 NA 1000 NA NA NA Of vom	iting occurs, kenergency media
ATE HOS ELEI JPR	R PHORIC ACID NIOUS ACID IC SULFATE DNIUM MOLYBDATE SULFATE	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8 Acute Toxicity 7758-99-8 Acute Toxicity 13106-76-8 Acute Toxicity 7733-02-0 Acute Toxicity  Ingestion:  Eyes: Skin:	RTECS No.  ZC0110000  TB6300000 on 1; Skin Corrosion VS7175000 -Inh 3; Acute Toxicit NA 4; H302 NA 4; Skin Irritation 2; QR9600000 4; Eye Damage 1; A  Do not induction in Remove and minutes. See Remove cormedical atter	EINECS No.  231-791-2  231-633-2  1B; H290, H314  231-974-7  Ey-Oral 3; STOT RE 2;  NA  236-031-3  Eye Irritation 2; Specifical Specification 2; Specification 2; Specification 2; Specification 2; Specification 3; STOT RE 2;  PRINT All Company Symptoms and company symptoms and discard contact immediate mentaminated clother in the stammated clother in the stammated shall see the stammated clother in the stammated clothe	% 60-100  7-13  1-5 Acute Aquat 1-5  1-5 fic Target Org 0.1-1 1; Chronic A  1 +1 (855) ard) to ker ted. at lenses i edical atter ing and v ring, swell	TLV NE (1) (0.2) ic Toxici (1) (10) gan Toxic (0.1) quatic T	GIH Dom STEL NE (3) NA ty 1; Chri NA oxicity 1; NA oxicity 1; APPES APPE	ES-TWA NF NF (0.2) onic Aqu NF e Expose H302, H  or eme ented skin sores co	EXPO NOHSC ppm ES- STEL NF NF NF atic Toxi NF STEL NF STEL NF STEL NF STEL NF STEL STEL STEL STEL STEL STEL STEL STEL	ES-PEAK NF NF NF NF SIZE NF N	NA (0.2) (301, H3 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	OSHA ppm STEL NE NA NA 11 NA NA 131 NA NA 1335 NA VVIce. I   9111 Dunts of	IDLH NE 1000 NA 1000 NA NA NA NA Soap	iting occurs, kenergency media er for at least
ATE HOS ELEI JPR MMC	R PHORIC ACID NIOUS ACID IC SULFATE DNIUM MOLYBDATE SULFATE	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8 Acute Toxicity 7758-99-8 Acute Toxicity 13106-76-8 Acute Toxicity 7733-02-0 Acute Toxicity  Ingestion:  Eyes:	RTECS No.  ZC0110000  TB6300000 on 1; Skin Corrosion VS7175000 Inh 3; Acute Toxicit NA 4; H302 NA 4; Skin Irritation 2; QR9600000 4; Eye Damage 1; A  Do not induc victim's head transport if al Remove and minutes. See Remove cor medical atter Move victim's	EINECS No.  231-791-2  231-633-2  1B; H290, H314  231-974-7  2y-Oral 3; STOT RE 2;  NA  236-031-3  Eye Irritation 2; Specific 232-104-9  Acute Aquatic Toxicity  FIRST All  is e vomiting. Call of lowered (forward symptoms now any symptoms now an	% 60-100  7-13  1-5 Acute Aquat 1-5  1-5 fic Target Org 0.1-1 1; Chronic A  1 +1 (855) ard) to ker ted. at lenses i edical atter ing and v ring, swell	TLV NE (1) (0.2) ic Toxici (1) (10) gan Toxic (0.1) quatic T	GIH Dom STEL NE (3) NA ty 1; Chri NA oxicity 1; NA oxicity 1; APPES APPE	ES-TWA NF NF (0.2) onic Aqu NF e Expose H302, H  or eme ented skin sores co	EXPO NOHSC ppm ES- STEL NF NF NF atic Toxi NF STEL NF STEL NF STEL NF STEL NF STEL STEL STEL STEL STEL STEL STEL STEL	ES-PEAK NF NF NF NF SIZE NF N	NA (0.2) (301, H3 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	OSHA ppm STEL NE NA NA 11 NA NA 131 NA NA 1335 NA VVIce. I   9111 Dunts of	IDLH NE 1000 NA 1000 NA NA NA NA Soap	iting occurs, kenergency medier for at least
ATE HOS ELEI JPR MMC	R PHORIC ACID NIOUS ACID IC SULFATE DNIUM MOLYBDATE SULFATE	CAS No.  7732-18-5  7664-38-2  Metal Corrosio 7783-00-8  Acute Toxicity 7758-99-8  Acute Toxicity 13106-76-8  Acute Toxicity 7733-02-0  Acute Toxicity  Ingestion:  Eyes:  Skin:  Inhalation:	RTECS No.  ZC0110000  TB6300000 on 1; Skin Corrosion VS7175000 Inh 3; Acute Toxicit NA 4; H302 NA 4; Skin Irritation 2; QR9600000 4; Eye Damage 1; A  Do not induc victim's head transport if al Remove and minutes. See Remove cor medical atter Move victim victim loses of	EINECS No.  231-791-2  231-633-2  1B; H290, H314  231-974-7  2y-Oral 3; STOT RE 2;  NA  236-031-3  Eye Irritation 2; Specification 3; STOT RE 2;  PIRST All the complete of the condition of the condition of the condition of the consciousness.	% 60-100  7-13  1-5 Acute Aquat 1-5 fic Target Org 0.1-1 1; Chronic A  1 +1 (855) ard) to ker ted. t lenses i dical atter ing and v ring, swell tact emerge	TLV NE (1) (0.2) ic Toxici (1) (10) gan Toxic (0.1) quatic T	GIH Dom STEL NE (3) NA ty 1; Chri NA oxicity 1; NA oxicity 1; APPES APPE	ES-TWA NF NF (0.2) onic Aqu NF e Expose H302, H  or eme n ente lush evone rin d skin sores co	EXPO NOHSC ppm ES- STEL NF NF NF atic Toxi NF STEL NF STEL NF STEL NF STEL NF STEL STEL STEL STEL STEL STEL STEL STEL	ES-PEAK NF NF NF NF SIZE NF N	NA (0.2) (301, H3 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	OSHA ppm STEL NE NA NA 11 NA NA 131 NA NA 1335 NA VVIce. I   9111 Dunts of	IDLH NE 1000 NA 1000 NA NA NA NA Soap	iting occurs, kenergency medier for at least
ATE HOS HOS NC:	PHORIC ACID  NIOUS ACID  IC SULFATE  DNIUM MOLYBDATE  SULFATE  First Aid:	CAS No. 7732-18-5 7664-38-2 Metal Corrosio 7783-00-8 Acute Toxicity 7758-99-8 Acute Toxicity 13106-76-8 Acute Toxicity 7733-02-0 Acute Toxicity  Ingestion:  Eyes: Skin: Inhalation:	RTECS No.  ZC0110000  TB6300000  TS6300000  TS6300000  TS6300000  A; Exin Corrosion  NA  4; H302  NA  4; Skin Irritation 2;  QR9600000  4; Eye Damage 1;  Do not inductivitim's head transport if all Remove and minutes. See Remove cormedical atter Move victim victim loses of Severe or pe	EINECS No.  231-791-2  231-633-2  1B; H290, H314  231-974-7  Ey-Oral 3; STOT RE 2;  NA  236-031-3  Eye Irritation 2; Specific contacts of the contact of the	% 60-100  7-13  1-5 Acute Aquat 1-5 fic Target Org 0.1-1 1; Chronic A  1 +1 (855) ard) to ker ted. t lenses i dical atter ing and v ring, swell tact emerge	TLV NE (1) (0.2) ic Toxici (1) (10) gan Toxic (0.1) quatic T	GIH Dom STEL NE (3) NA ty 1; Chri NA oxicity 1; NA oxicity 1; APPES APPE	ES-TWA NF NF (0.2) onic Aqu NF e Expose H302, H  or eme n ente lush evone rin d skin sores co	EXPO NOHSC ppm ES- STEL NF NF NF atic Toxi NF STEL NF STEL NF STEL NF STEL NF STEL STEL STEL STEL STEL STEL STEL STEL	ES-PEAK NF NF NF NF SIZE NF N	NA (0.2) (301, H3 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	OSHA ppm STEL NE NA NA 11 NA NA 131 NA NA 1335 NA VVIce. I   9111 Dunts of	IDLH NE 1000 NA 1000 NA NA NA NA Soap	iting occurs, kenergency medier for at least
IOS IJPR IMC	PHORIC ACID  NIOUS ACID  IC SULFATE  DNIUM MOLYBDATE  SULFATE  First Aid:	CAS No.  7732-18-5  7664-38-2  Metal Corrosio 7783-00-8  Acute Toxicity 7758-99-8  Acute Toxicity 13106-76-8  Acute Toxicity 7733-02-0  Acute Toxicity  Ingestion:  Eyes:  Skin:  Inhalation:	RTECS No.  ZC0110000  TB6300000  TS6300000  TS6Xin Corrosion VS7175000  INA 4; H302  NA 4; Sxin Irritation 2; I QR9600000 4; Eye Damage 1; A  Do not induc victim's head transport if all Remove and minutes. See Remove cor medical atter Move victim victim loses of Severe or pe Burns upon of	EINECS No.  231-791-2  231-633-2  1B; H290, H314  231-974-7  2y-Oral 3; STOT RE 2;  NA  236-031-3  Eye Irritation 2; Specification 3; STOT RE 2;  PIRST All the complete of the condition of the condition of the condition of the consciousness.	% 60-100  7-13  1-5 Acute Aquat 1-5 fic Target Org 0.1-1 1; Chronic A  H 1 (855) ard) to ker ated. at lenses i dical atter ing and v ring, swell tact emerg	TLV NE (1) (0.2) icic Toxicic (1) (10) gan Toxic (0.1) Quatic T.  SUI 281-1 ap von f worn ntion w wash e ling or gency	GIH Dom STEL NE (3) NA ty 1; Chri NA oxicity 1; NA oxicity 1; APPES APPE	ES-TWA NF NF (0.2) onic Aqu NF e Expose H302, H  or eme n ente lush evone rin d skin sores co	EXPO NOHSC ppm ES- STEL NF NF NF atic Toxi NF STEL NF STEL NF STEL NF STEL NF STEL STEL STEL STEL STEL STEL STEL STEL	ES-PEAK NF NF NF NF SIZE NF N	NA (0.2) (301, H3 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	OSHA ppm STEL NE NA NA 11 NA NA 131 NA NA 1335 NA VVIce. I   9111 Dunts of	IDLH NE 1000 NA 1000 NA NA NA NA Soap	iting occurs, kenergency medier for at least



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

## **SAFETY DATA SHEET**

SDS Revision: 1.2

Page 2 of 6 **BTI-023** 

SDS Revision Date: 4/14/2015

4. FIRST AID MEASURES - cont'd 4.3 Symptoms of Overexposure: Redness, burning, irritation, and swelling around eyes Eyes: Redness, burning, itching, rash, blistering of skin. Skin: Ingestion: Nausea, vomiting, severe abdominal pain. Inhalation: Coughing, wheezing, swelling of throat, irritation in mucous membranes, difficulty breathing. 4.4 Acute Health Effects: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin. 4.5 Chronic Health Effects: May damage the nervous system, kidney and/or liver. 4.6 Target Organs: Eyes, skin, nervous system, kidneys, liver, respiratory system. Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 3 Aggravated by Exposure: target organs (eyes, skin, and respiratory system) or impaired kidney **FLAMMABILITY** 0 function may be more susceptible to the effects of this substance. **PHYSICAL HAZARDS** 2 PROTECTIVE EQUIPMENT Н LUNGS **EYES** SKIN This product contains Selenious Acid and is potentially fatal if ingested even in small amounts. 24-hour admission 4.8 Notes to Physician: should be considered in asymptomatic or minimally symptomatic patients as delayed toxic effects including pulmonary edema and multi-organ failure may occur. 24/7 medical toxicology consultation is available at +1 (855) 281-1742. 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: Non-flammable. May react with metals to release hydrogen gas, which can form explosive mixtures with air. May intensity fire; oxidizer. 5.2 Extinguishing Methods: Use fire-extinguishing media appropriate for surrounding materials. 5.3 Firefighting Procedures: As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, phosphorous, selenium and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible, inert material such as vermiculite or sand to soak up the product and place into a container for later disposal. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant container. Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Immediately clean-up and decontaminate any spills or residues. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Store in acid-resistant containers. Keep containers covered when not in use. Avoid temperatures above 40°C (120°F). Keep away from incompatible substances (see Section 10). Protect containers from physical damage. 7.3 Special Precautions: Empty containers may retain hazardous product residues.



Reproductive Toxicity:

Biological Exposure Indices:

Physician Recommendations:

See Section 2.3

Treat symptomatically.

NE

Irritancy of Product:

11.7

11.8

11.9

### SAFETY DATA SHEET

Page 3 of 6

BTI-023 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 4/14/2015 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Ventilation & Engineering Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the Controls: handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eyewash station). 8.2 Respiratory Protection: In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. Eye Protection: 8.3 Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended. Wear protective, chemical-resistant gloves (e.g., neoprene) when using or handling this product. 8.4 Hand Protection: 8.5 Body Protection: A chemical resistant apron and/or protective clothing are recommended when handling or using this product. 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: Clear, blue liquid 9.2 Odor Odorless 9.3 Odor Threshold: NA 9.4 < 1.0 9.5 Melting Point/Freezing Point: NA 9.6 Initial Boiling Point/Boiling > 100 °C (> 212 °F) Range: 9.7 Flashpoint: NA 9.8 Upper/Lower Flammability NA 9.9 Vapor Pressure: NA 9.10 Vapor Density: < 1.0 (air = 1.0) 9.11 Relative Density 1.099 9.12 Solubility Complete (water) 9.13 Partition Coefficient (log Pow): NA 9.14 **Autoignition Temperature** NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: NA 9.17 Other Information: Evaporation Rate: < 1.0 (ethyl ether = 1.0) 10. STABILITY & REACTIVITY 10.1 Stability 10.2 Hazardous Decomposition Reaction with organics and strong reducing agents can produce organoselenides and hydrogen selenide. Thermal decomposition may produce selenium, nitrogen, phosphoric and copper oxides, and hydrogen fluoride gas. Hazardous Polymerization: 10.3 Will not occur. 10.4 Conditions to Avoid Excessive heat 10.5 Incompatible Substances: Cyanides, water-reactive substances, strong reducing agents, chlorinated cleaners or sanitizers, combustible organic materials, and most metals. 11. TOXICOLOGICAL INFORMATION Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES 11.1 11.2 Toxicity Data: Solution: LD<sub>50</sub> (oral, rat) = 1030 mg/kg; Phosphoric Acid: LD<sub>50</sub> (oral, rat) = 1530 mg/kg 11.3 Acute Toxicity: See Section 2.4 11.4 Chronic Toxicity See Section 2.5 Suspected Carcinogen: 11.5 Components in this product are listed by IARC as Group 3 (Not classifiable as to its carcinogenicity to humans) Reproductive Toxicity 116 This product is not reported to cause reproductive toxicity in humans. Mutagenicity This product is not reported to produce mutagenic effects in humans Embryotoxicity This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product contains nickel sulfate, which is reported to cause teratogenic effects in humans.

This product is not reported to cause reproductive effects in humans.



Page 4 of 6

**BTI-023** Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 4/14/2015 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: No data available. 122 Effects on Plants & Animals: No data available 12.3 Effects on Aquatic Life: Very toxic to aquatic life with long lasting effects. Phosphoric Acid: EC<sub>50</sub> (Daphnia magna, 12h) = 4.6 mg/L 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler. 13.2 Special Considerations: U.S. EPA Hazardous Waste - Characteristic - Corrosive (D002), Characteristic - Toxic (D010) 14. TRANSPORTATION INFORMATION 14 1 49 CFR (GND): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L) 14.2 IATA (AIR): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 0.5 L) 14.3 IMDG (OCN): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID. PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L) 14 4 TDGR (Canadian GND): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L) ADR/RID (EU): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L) 14.6 SCT (MEXICO): UN3264, LIQUIDOS, CORROSIVOS, ACIDO, INORGANICO, N.E.P. (ACIDO SELENIO, ACIDO FOSFORICO), 8, III, CANTIDAD LIMITADA (IP VOL ≤ 5.0 L) ADGR (AUS): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L) 15. REGULATORY INFORMATION SARA Reporting This product contains Selenious Acid, Cupric Sulfate and Phosphoric Acid, substances subject to SARA Title III, section 15.1 313 reporting requirements. SARA Threshold Planning 15.2 Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. 15.4 CERCLA Reportable Quantity Selenious Acid: 10 lbs (4.54 kg); Cupric Sulfate: 10 lbs (4.54 kg); Phosphoric Acid: 5,000 lbs (2,270 kg) (RQ): 15.5 Other Federal Requirements: 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class E (Corrosive Material). WHMIS Class D1 (Materials Causing Immediate and 15.7 State Regulatory Information: Selenious Acid is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA), and Wisconsin Hazardous Substances List (WI). Zinc Sulfate is found on the following state criteria lists: MA, and PA. Phosphoric Acid is found on the following state criteria lists: FL, MA, MN, and PA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). 15.8 Other Requirements: The primary components of this product are listed in Annex I of EU Directive 67/548/EEC. Selenious Acid: Corrosive (C), Toxic (T). Risk Phrases (R): R35 - Causes severe burns. Safety Phrases (S): S1/2-7/9-24/25-26-28-46 - Keep locked up and out of the reach of children.

Keep container tightly closed and in a well-ventilated place. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash with plenty of soap and warm water. If swallowed, seek medical advice

immediately and show this container or label.



Page 5 of 6 **BTI-023** 

SDS Revision: 1.2 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 4/14/2015 16. OTHER INFORMATION Other Information: DANGER! POISON. CORROSIVE. May be fatal if swallowed or harmful if inhaled. Causes severe burns to eyes and skin. Avoid excessive heat. Terms & Definitions: 16.2 See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Birchwood Technologies' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: **Birchwood Technologies** 7900 Fuller Road Eden Prairie, MN 55344 USA Tel: +1 (952) 937-7900 Fax: +1 (952) 937-7979 http://www.birchwoodtechnologies.com 16.5 Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA

> Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com



Page 6 of 6 **BTI-023** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 4/14/2015

#### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number
EXPOSURE I	I IMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists			
TLV	TLV Threshold Limit Value			
OSHA	U.S. Occupational Safety and Health Administration			
PEL	PEL Permissible Exposure Limit			
IDLH	Immediately Dangerous to Life and Health			

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard		
1	Slight Hazard		
2	Moderate Hazard		
3	Severe Hazard		
4	Extreme Hazard		

**HEALTH FLAMMABILITY PHYSICAL HAZARDS PERSONAL PROTECTION** 

#### PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE PERSON NAMED IN COLU	
D			
Е			
F		TH.	













Face Shield &

**Protective Eyewear** 





**Dust & Vapor Half-**Mask Respirator

**Full Face** Respirator

Airline Hood/Mask or SCBA

#### OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus
Flam.	Flammable
Liq.	Liquid
Sol.	Solid
Tox.	Toxicity
Irrit.	Irritation
Sens.	Senitization
Ox.	Oxidizing
Corr.	Corrosion
Repr.	Reproductive (Harm)
Asp.	Aspiration
lnh.	Inhalation
Dam.	Damage
STOT SE	Specific Target Organ Toxicity – Single Exposure
STOT RE	Specific Target Organ Toxicity – Repeated Exposure

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:					
Autoignition Minimum temperature required to initiate combustion in air with no other sour of ignition						
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					

#### **HAZARD RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	S
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>Io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>io</sub> , LD <sub>io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL <sub>m</sub>	Median threshold limit
log K <sub>ow</sub> or log K <sub>oc</sub>	Coefficient of Oil/Water Distribution

#### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System
WHINIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

#### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(3)</b>	<b>(</b>		$\odot$	(1)		R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

### EC (67/548/EEC) INFORMATION:

		M	¥		<b>@</b>	X	X
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			<b>\ODES</b>		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environ- ment